

Telephone: 0115 982 2022 - sales@science2education.co.uk





Brought to you by the UK's largest independent supplier of scientific equipment, apparatus and chemicals.



Postal Address:

SLS Select Education Scientific Laboratory Supplies Ltd, Wilford Industrial Estate, Ruddington Lane, Nottingham, NG11 7EP

Telephone: 0115 982 2022 Fax: 0115 945 5379 Email: sales@science2education.co.uk Online: www.science2education.co.uk

Terms & Conditions:

Free delivery is available to educational establishments registered as 'Select Savers' only. Register with us online at www.science2education.co.uk/ selectsaver. All prices given are valid until the 13th April 2017. Full T&C's are listed on our website and in our main catalogue. Errors and omissions excepted.

Territory Sales Managers

Allison Caldwell North of England Tel: 07875 249 022 Email: acaldwell@scientific-labs.com

Julie Davies

East Midlands Tel: 07583 103 340 Email: jdavies@scientific-labs.com

Martin Hinsley West Midlands and Wales Tel: 07551 122 911 Email: mhinsley@scientific-labs.com

Gary D'Cruz

North London/Home Counties Tel: 07432 384 215 Email: gdcruz@scientific-labs.com

Lynn Thorne

South London/South Coast of England Tel: 07807 318 036 Email: lthorne@scientific-labs.com

We're exhibiting at the...



ASE Annual Conference 2017 - University of Reading

- Visit us on stand D14
- Hosting our own Lonza electrophoresis workshop
- Live experiments taking place for AS Level (AQA)
- Wide product range
- Wed 4th- Sat 7th Jan 2017



Scan to view the full price list of everything on the stand plus details of our Lonza electrophoresis workshop! www.science2education.co.uk/ASE2017.pdf

<u>HIGHLIGHTS</u>





CONTENTS





3M Science. Applied to Life.[™]

3M[™] safety spectacles and goggles provide protection from a number of laboratory hazards and are available with a selection of coatings, lens types and accessories.





Clifton NE2D Digital Bath, Unstirred 1

Clifton NE2D digital water baths provides a stable temperature environment with digital PID temperature control for precision. Controls feature auto alarm settings, illuminated on/off switch, heater and over temperature indications. 3 year warranty.

- Sensitivity ±0.2°C
 - Uniformity ±0.1°C
- Temperature range ambient +5 to 99°C
- Digital PID control with LED temperature display Over temperature alarm with heater cut off +4°C above set point
- Touch pad controls with easy wipe surfaces
- Painted body and controls features antibacterial protection
- Drain outlet on 22 and 28 litre, option of accessory gated tap Lid recommended above 60°C

Code	Capacity	Pack	Was	Now
BAT7022P	4L & free lid	Each	£410.55	£369.50
BAT7024P	8L & free lid	Each	£428.93	£368.04



(3) **Churchill Test Tube Stand**

Stainless steel test tube racks to fit the Clifton series of water baths.

Code	Hole / Dia	To Fit	Pack	Was	Now
BAT2800	28 / 18mm	2 & 4L	Each	£39.95	£35.96
BAT2803	44 / 18mm	8L	Each	£39.95	£35.96
BAT2806	68 / 18mm	14L	Each	£39.95	£35.96
BAT2809	44 / 25mm	2 & 4L	Each	£39.95	£35.96
BAT2812	44 / 25mm	8L	Each	£39.95	£35.96
BAT2812	44 / 25mm	8L	Each	£39.95	£35.96
BAT2815	44 / 25mm	14L	Each	£39.95	£35.96

(4) Circular, Boiling Bath

Aluminium. Supplied with integral 1KW heating element with overheat protection, power cable, constant level device and set of concentric rings. Dimensions 203 x 127mm (Ø x depth). For 220 - 240V.

Code	Pack	Was	Now
BAT1002	Each	£269.30	£242.37

FREE DELIVERY with our Select Savers Loyalty Scheme Sign up online!

Part of Nickel-Electro Ltd, is a British manufacturer, specialising in the design and manufacture of temperature control equipment. The company have a philosophy of manufacturing everything on-site, in order to control lead time, quality and cost.



2 Clifton NE1 Triplebath[™] Baths

Three independent temperature controlled water baths, suitable for processing small reaction tubes, test tubes or vessels at three different temperatures, in one location. Perfect for enzyme experiments and much more economical than purchasing three separate baths.

- Sensitivity: ±0.5°C
- Uniformity: ±0.5°C
- Range: ambient +5°C 99°C
- Thermostatic control
- Unstirred
- Lid recommended above 60°C needs to be ordered seperately

Code	Capacity	Pack	Was	Now
EDNE1222	3 x 2L	Each	£495.00	£470.25
EDNE1444	3 x 4L	Each	£615.00	£584.25





Euromex Microscopes are a leading manufacturer of microscopes. Based in Arnhem, Holland their microscsopes boast impressive warranties and life long spare part availability.





Euromex MicroBlue Monocular 1 Microscope

- Secured wide field eyepiece WF 10x/18 mm with fixed pointer Achromatic 4x N.A. 0.10, 10x N.A. 0.25 and S40x N.A. 0.65 35mm
- parafocal objectives. The S40x objective is spring-mounted Square stage 105 x 105 mm with two object clamps
- Coaxial coarse and fine adjustment knobs on both sides with 0.002 mm graduations. Friction of focus control can be adjusted
- Fixed lens N.A. 0.65 condenser with iris diaphragm and filter holder LED 1W illumination with intensity control, rechargeable batteries with external power supply/charger

Code	Pack	Was	Now
MIC6660	Each	£104.50	£99.95

2 **Euromex BioBlue Microscopes**

- Rotating monocular head, 45° inclined
- WF 10x/18mm widefield eyepiece with pointer
- Semi-plan x4, x10 & x40 objectives
- Coaxial coarse & fine (2µm precision) focussing
- Plain 123x119mm stage with object clamps
- In height adjustable Abbe condenser N.A. 1.25
- Adjustable LED illumination with built-in power supply Rechargeable batteries allow for cordless operation

	-	-		
Code	Description	Pack	Was	Now
MIC6618	Monocular	Each	£235.00	£211.50
MIC6621	Binocular	Each	£295.00	£265.50

Euromex EcoBlue Digital Microscope 3)

- Rotating monocular head, 45° inclined
- WF 10x/18mm Widefield eyepiece with pointer
- Built in 3.2MP CMOS Camera with USB2.0
- Delivered with ImageFocus® software
- Forwarded quadruple revolving nosepiece
- Achromatic x4, x10 & S40x objectives
- Coaxial coarse & fine (2µm precision) focussing
- Plain 123x119mm stage with object clamps
- 1W LED illumination, 230V, CE certified
- In height adjustable Abbe condenser N.A. 1.25

Code	Description	Pack	Was	Now
MIC6609	Microscope only		£255.00	£229.50
MIC6612	Microscope with x100 O.I		£320.00	£272.00

(4) Microscope Accessories

Perfect for prescribed practicals and compatible with most full size microscopes

Code	Description	Pack	Price
AE5084	Micrometer eyepiece WF 10x18mm	Each	£35.00
AE1110	Euromex stage micrometer	Each	£22.86

FREE MICROSCOPE POSTER WITH THESE MICROSCOPES - QUOTE 'POSTER0417'

Double Column Chemical Storage Unit

Translucent trays allow you to easily see the contents of the trays and the additional shelves are useful for larger items

- 4 translucent deep (F2) trays

Code	Pack	Was	Now
2625CS	Each	£449.99	£404.99



Code	Trays included	Pack	Was	Now
SED1300	16 shallow	Each	£340.00	£323.00
SED1303	8 deep	Each	£329.38	£312.91
SED1306	8 shallow & 8 deep	Each	£334.69	£317.96



AE1110

AE5084

For over 40 years, Gratnells has been the leading name in school storage. Gratnells award-winning educational trays are renowned for their quality, safety, strength and durability.

(3) F1 Shallow Trays

Trays available in national curriculum colours

- Lids and inserts also available
- 427 x 312 x 75mm (L x W x H)

CodeColourSED11020TranslucentSED11022Sunshine yellowSED11024Tropical orangeSED11026Flame redSED11028Fuscia pinkSED11030Royal blueSED11032Grass greenSED11034Dark brown	Pack Each Each Each Each Each Each Each Each	Was £2.20 £2.20 £2.20 £2.20 £2.20 £2.20 £2.20 £2.20 £2.20	Now £2.09 £2.09 £2.09 £2.09 £2.09 £2.09 £2.09 £2.09 £2.09
--	---	--	--

7

HANNA instruments

Hanna Instruments is a world leader in electrochemistry with global sales of scientific instruments in over 66 countries.





Hanna HALO[™] Plastic Bluetooth 3 pH electrode

 ${\rm HALO^{TM}}$ is the world's first professional pH probe with Bluetooth® (4.0) smart technology. With a 10m range, HALO can be used outside or in the Lab, in sealed fume cupboards and can be monitored from a distance. It can be used in two ways, with the free HANNA Lab app or with Edge Blu pH meter. HANNA Lab app allows the user to calibrate and to have full GLP data, a continuous pH log and fluid graphing facility using the iPad pinch and zoom technology. Connects quickly by selecting the relevant probe from a drop down list.

Features:

- pH range/accuracy -2.000 to 16.000/ +/-0.005pH •
- mV range +/-800mV
- Temperature range -20.0 to 120.0°C
- Calibrate with up to 5 points with seven standard buffers
- Auto temperature compensation
- Quick simple connection to iPad/Edge Blu
- Glass pH electrode for general purpose use •
- GLP data logging
- Fluid dynamic graphing & alarm feature (with HANNA Lab app)

HALO used with HANNA Lab app. Is designed for use with iPad 3rd generation & iPad Mini with Bluetooth 4.0 and iOS 7.1 or later

Code	Pack	Was	Now
PHE1028	Each	£157.73	£141.96

Hanna pH Checker (1)

Simple pocket pH tester ideal for testing water samples. The interchangeable probe is small enough to fit into a test tube, requiring only a small sample for testing. Manual two point calibration, the Checker 1 is supplied with batteries and a calibration screwdriver.

Pack

Each

Price

£32.50

- pH range/resolution: 0.00 to 14.00 ٠
- Accuracy: ±0.2pH
- Battery: 2 x 1.5V
- Battery Life ~3000 hours

Code PHM4000

2 Hanna Desktop pH Meter

Bench top pH/C meter with incorporated sample beaker and pH electrode. The Hanna HI 207 is an all-in-one pH meter designed to meet the classroom environment with features such as a builtin beaker holder, beaker-top electrode holder and 3-in-1 pH and temperature sensor

This instrument also features an extended pH range of -2.00 to 16.00, dual-level LCD with icons for stability and buffer recognition, automatic pH calibration with 2 sets of memorised buffers, Čelsius or Fahrenheit temperature range and automatic temperature compensation. The HI 207 operates on either the 12 Vdc adapter or batteries.

Code	Pack	Was	Now
PHM2060	Each	£194.01	£174.61



IPC LoVolt Power Supply 1

- Voltage Output: 2, 4, 6, 9, 12 or 14V a.c. or unsmoothed d.c. at
- Current Output: 4A continuously, or up to 5A for periods of 1 hour
- Protection: Circuit breaker mounted on front panel
- Weight: 2.8kg
- Dimensions: 179 x 190 x 85mm

Housed in a robust metal case with a durable powder coated finish. Supplied with mains lead and instructions.

Code	Pack	Was	Now
EL10343	Each	£103.50	£82.80

2 **IPC Student Power Supply**

- Voltage Output: 2, 4, 6, 9, 12 or 14V a.c. or unsmoothed d.c. at ٠
- Voltage Lock: Selection & Lock using a removable key.
- Current Output: 4A continuously, or up to 5A for periods of 1 hour.
- Protection: Circuit breaker mounted on front panel
- Weight: 2.8kg
- Dimensions: 179 x 190 x 85mm

Housed in a robust metal case with a durable powder coated finish. Supplied with key and instructions.

Code	Pack	Was	Now
EL10346	Each	£108.00	£84.24

(3) IPC Digital Meters, Premium

A range of high quality ammeters and voltmeters all with a resolution of 4 significant figures. The 31/2 digit liquid crystal display has 13mm high digits with a wide field of view unobscured by trailing leads. The display also provides indication of polarity and low battery. The unit is exceptionally easy to read. Two colour coded 4mm sockets are located on the sides for maximum convenience and anti-slip feet are fitted to the base. Low operating current gives expected battery life in excess of 500 hours. Housed in a robust ABS case. Supplied with battery.

Code	Colour	Pack	Price
EL10385	Ammeter 10A D.C.	Each	£24.50
EL10388	Voltmeter 20V D.C.	Each	£24.50

IPC Digital Meters, Premium (4)

A multi-purpose instrument which is invaluable in the physics laboratory, combining the functions of a multi-purpose timer, a ratemeter and a frequency meter in one compact and economical unit. Its uses are many and varied covering a wide area of the physics syllabus. Ideal for use with our GM tube and stand - see our website for full specifications.

Code	Pack	Was	Now
EL10439	Each	£294.35	£250.20

IPC Electronics design and manufacture a range of high quality instruments for the educational sectors from their factory in the heart of the Lake District.



locktronics

Locktronics is a range of products manufactured in West Yorkshire that simplifies the process of learning and teaching electricity and electronics. The core range consists of more than 200 electronic components,

molymod®

3 Locktronics Components

Code LK4025 LK5250 LK5291 LK5291 LK5249 LK6841 LK2347 LK4065 LK6635	Description Resistor 10 ohm 1W 5% (DIN) Resistor 100 ohm 1W 5% (DIN) Connecting Link 7 x 5 baseboard with 4mm pillars Lampholder MES Diode silicon MES bulb 12V LED white MES bulb 12V LED white MES bulb 6V 0.04A Resistor 47 ohm 1/2W 5% (DIN) LED red 5V	Pack Each Each Each Each Each Each Each Each	Was £2.48 £2.43 £2.35 £37.47 £3.92 £2.35 £1.07 £1.01 £2.35 £3.47 £5.28	Price £2.36 £2.23 £35.60 £3.72 £2.23 £1.02 £0.96 £2.23 £3.30 £5.02
LK6635		Each	£3.47	£3.30
LK5401		Each	£5.28	£5.02
LK6207		Each	£4.56	£4.33
LK6653		Each	£8.21	£7.80

1 Fundamentals of Electricity Kit

This kit provides an introduction to the fundamentals of electricity. It is ideal for those who are completely new to the subject, and is suitable for use from ages 8 to 13. The kit is supplied with 30 pages of notes and worksheets. (In the UK suitable for KS1, KS2 & KS3 science units 2F, 4F, 6G).

 Learning objectives/experiments What is electricity? Simple electrical components The simplest circuit Conductors and insulators 	: • • • • •	Switches Two way s Series cir Parallel c Buzzers Motors	cuits	
Code	Pack		Was	Now
LK6444	Each		£99.00	£89.10

2 Energy & The Environment Kit

This course provides an introduction to renewable energy generation and energy saving measures through intelligent building control. As such, it addresses the aims of a number of courses in science and technology. A comprehensive set of curriculum worksheets and supporting documentation deliver experiments to illuminate the issues raised.

Learning objectives:

- Advantages/disadvantages of renewable energy sources: photovoltaic, wind, wave, hydroelectric
- Solar cells and their operation
- Electricity generators
- Solar heating and energy storage
- Voltage regulation
- Efficiency of a filament lamp and LED lamp
- Insulation and double glazing

Energy efficient building design using microcontrollers

Code	Pack	Was	Nov
LK7345	Each	£390.60	£295.00



1 Organic (Student) Set

50 atoms supplied in one 4-compartment box

Contains: 20 hydrogen (l), 12 carbon (IV), 6 oxygen (II), 4 nitrogen (III, IV), 2 sulphur (IV, VI), 1 phosphorus (IV), 4 halogen (l), 1 metal (I) links: 26 medium grey, 12 long flexible & 26 short.

Code	Pack	Was	Now
MMS008	Each	£15.40	£13.09

2 Atomic Orbital 14 Model Collection Set

This set contains sufficient parts to make 14 easy to self- assemble atomic orbitals. Pink and purple coloured pear shaped lobes represent the two wave phases, positive and negative of the p and d atomic orbitals. The atomic nuclei are represented by opaque white spheres.

Each model comes with its own individual colourless transparent base for display purposes. Approximate model heights including base are: s-orbital 5cm, p-orbital 9cm, d-orbital 8cm.

Code	Pack	Was	Now
M0S90114	Each	£21.00	£17.85

3 Biochemsitry Student Set

• 72 atoms supplied in one 4-compartment box

Contains: 25 hydrogen, 21 carbon, 13 oxygen, 11 nitrogen, 1 sulphur, 1 phosphorus. Links: 40 medium grey.

Code	Pack	Was	Now
MMS010	Each	£16.80	£14.28


4 Inorganic-Organic 1 (Teacher) Set

• 108 atoms supplied in a large one compartment box

Contains: 14 hydrogen (I, II), 20 carbon (IV, V), 22 oxygen (II, IV), 10 nitrogen (III, IV), 13 sulphur (II, IV, VI), 7 phosphorus (III, IV, V,), 8 halogen (I), 14 metal (I, II, III, IV, VI), 18 lone pair 2D paddles (6 pink, 6 purple, 6 beige) links: 38 medium grey, 12 medium purple, 36 long flexible

Code	Pack	Was	Now
MMS004	Each	£14.50	£12.33

The original dual-scale system of molecular models designed and manufactured in England by Spiring Enterprises.





A truly global brand name that is now the most recognised manufacturer of high quality balances used in schools across the UK.

SIMAK®



(3) **OHAUS Pioneer Series Balance**

The OHAUS Pioneer series of analytical and precision balances are designed for basic routine weighing in a variety of laboratory, industrial and education applications. With the right combination of performance and features, the Ohaus Pioneer offers uncomplicated performance for all your basic weighing needs.

- Fixed integral weigh below hook
- Menu and calibration locks
- RS232 including user ID, project ID, time and date lines
- All glass frameless draughtshield with 3 sliding doors on 1mg ٠ models

Code	Model	Capacity x Readability	Pack	Was	Now
BAL3918	PA213	210g x 0.01g	Each	£450.00	£416.67
BAL3920	PA413	410g x 0.01g	Each	£485.05	£448.67

(1) **OHAUS CL Series Balance**

The OHAUS CL Compact Scale is a lightweight, portable scale perfectly suited for simple school laboratory weighing.

Features

- Storage made easy with a stackable design ٠
- Integrated load cell lock Battery operation with auto shut-off
- Capacity x Readability Model Pack Was Code
- Now BAL2452 CL501 500g x 0.1g £38.50 £26.95 Each

(2) **OHAUS Scout® Pro Balance**

The OHAUS Scout® Pro designed for use in laboratory, industrial or education applications. Features include easy-to-use two-button operation, a high-contrast LCD display, multiple weighing units, four application modes, and the option of either RS232 or USB connectivity.

Features:

- 6 digit high contrast LCD panel
- 7 weighing units and 5 application modes
- AC power (adaptor supplied) or 4 x AA batteries (not supplied)
- Stainless steel weighing platform
- Calibration mass (included on 200g, 400g and 600g models) Auto shut off programmable and weigh below hook
- RS232/USB interface as an option
- Menu and transportation locks
- Sealed front panel and moulded spill ring
- Overall dimensions 192 x 54 x 210mm, W x H x D
- 1mg version includes draft cover
- 2 year warranty

Code	Model	Capacity x Readability	Pack	Price
BAL6249	SPU602	600g x 0.1g	Each	£139.00



(1) Simax Test Tubes, Rimmed Series

Borosilicate 3.3 glass test tubes.

Medium Wa Code TES1612 TES1621	all Dins (L x O.D.) 125 x 16mm 150 x 24mm	Wall 1.2mm 1.2mm	Pack 100 50	Was £24.50 £19.99	Now £23.28 £18.99
Heavy Duty Code TES1627 TES1636	Dins (L x 0.D.) 125 x 16mm 150 x 24mm	Wall 1.8mm 1.8mm	Pack 100 50	Was £35.97 £31.25	Now £32.37 £28.13

(2) Simax Flasks, Büchner

Borosilicate glass with glass hose connection and reinforced rim.

Price

Code	Capacity	Stopper	Pack	Price
FLA3800	125 x 16mm	33	Each	£13.41
FLA3802	150 x 24mm	33	Each	£14.30

Simax Beakers, Low Form (3)


Manufactured to ISO 3819 from borosilicate 3.3 glass.

Code BEA10040 BEA10060 BEA10080 BEA10100 BEA10140	Capacity 50ml 100ml 250ml 400ml	Pack 10 10 10 10 10	Price £9.25 £7.50 £8.25 £13.65 £24.35


(4) Simax Glass Measuring Cylinder, Class B

Borosilicate glass with spout, hexagonal foot and white graduations

Code	Capacity	Pack	Was	Now
CYL1072	10 x 0.2ml	Each	£2.91	£2.47
CYL1074	25 x 0.5ml	Each	£3.19	£2.71
CYL1076	50 x 1ml	Each	£3.59	£3.05
CYL1078	100 x 1ml	Each	£3.98	£3.38
CYL1080	250 x 2ml	Each	£6.17	£5.24



Simax borosilicate 3.3 glassware provides an excellent range of high quality laboratory apparatus at highly competitive prices.





Our very own brand of labware. The SLS SELECT range is designed with quality and price in mind and is used in thousands of laboratories across univerisities and industry.







PK500

(4)

1 Petri Dishes, 90mm

High quality, disposable petri dishes, aseptically manufactured in clear polystyrene to the highest standards. Suitable for all applications including bacteriological. Compatible with most automatic systems.

0	0			
Code		Vent	Pack	Price
SLS2000		Single	500	£28.50
SLS2002		Triple	500	£28.50

(2) Wash Bottle PP

Description	Pack	Was	Now
250ml	Each	£0.60	£0.54
500ml	Each	£0.79	£0.67
	250ml	250ml Each	250ml Each £0.60

3 Pasteur Pipettes

Code	Description	Pack	Was	Now
PIP4206	1ml bulk non-sterile	500	£4.89	£4.40
PIP4208	3ml sleeve of 20 sterile	500	£7.99	£7.19

(4) Bottles, Narow Mouth with Screw Cap

Polypropylene narrow mouth bottle and cap. Autoclavable

Code	Description	Pack	Was	Now
B0T2182	60ml	12	£4.31	£3.88
B0T2184	125ml	12	£6.04	£5.44
B0T2186	250ml	12	£9.31	£8.38
B0T2188	500ml	6	£6.38	£5.74

5 Reagent Glass Bottle, Clear, Narrow Mouth

\sim				
Code	Description	Pack	Was	Now
B0T5500	30ml	Each	£2.25	£2.03
B0T5502	50ml	Each	£2.35	£2.12
B0T5504	100ml	Each	£2.83	£2.55
B0T5506	250ml	Each	£3.25	£2.93
B0T5508	500ml	Each	£4.11	£3.70
B0T5510	1L	Each	£6.05	£5.45



1 Stuart Merit W4000 Water Still

An economically priced water still producing up to 4 litres/hour of quality distillate. Plumbing connections to the condenser are by plastic screwthread connectors for quick release and ease of operation. 3kW heater protected by two thermal cutouts in the event of water failure.

- Weight: 6kg
- Power requirements: 230V, 50-60Hz, 3KW.
- Dimensions (W x D x H): 500mm x 150mm x 450mm

Code	Pack	Was	Now
WAT2020	Each	£755.00	£698.38



3 Stuart 'Bibby' Mini Stirrer

- Powerful, lightweight magnetic stirrer
- Capable of stirring up to 1L
- Universal power adaptor- Choice of designs
 With BioCote antimicrobial protection
- With BioCote antimic
 350 to 2000 rpm

The unit is made from robust polypropylene with a chemically resistant polycarbonate top.

Code	Pack	Was	Now
STI2656	Each	£94.00	£86.95

Part of Bibby Scientific, one of the largest broad based manufacturers of laboratory products worldwide. Bibby Scientific Ltd provides internationally recognised brands with reputations for product quality and high performance.



(2) Stuart Water Still Distinction

All glass construction with silica sheathed heaters ensures top purity distillate at an economical price. Fitted with a control device to turn off the heater when the collecting reservoir is full. Prevents overflow if the still is inadvertently left switched on when unattended. With two independent safety thermostats to prevent over heating in the event of an interruption to the water supply. N.B. Heating elements are not covered by the 3 year warranty.

- Two independent safety thermostats
- Safety reservoir full shut off
- Wall mountable
- Silica sheathed heaters

Code	Pack	Was	Now
D4000	Each	£1195.45	£1105.79





Our very own equipment range, SLS Lab Basics is sold across a variety of industries across the world combining both quality and affordability.



2) NEW Hotplate Stirrer, Pro

- Stainless steel with ceramic coated hotplate (135mm Ø) resists corrosion
- Simple running interface easy to use and program
- Records and displays the last running parameters
- LCD display shows target and actual temperatures, as well as set and actual speed
- PID temperature technology precisely controls the heating process, rapidly reaches target temperature and enhances control accuracy
- 50°C HOT warning indicates residual hotplate temperature
- Free software StirPC which enables PC control

Code	Pack	Normally	Now
SLS4800	Each	£320.00	£250.00

3 Variable Volume Micropipette

- Ergonomic design ensuring light weight & soft plunger movement
- Click-stop system for volume selection
- Colour coded for easy identification
- Calibration report enclosed with every pipette
- Full range of tips available see our website

Code	Description	Pack	Price
SLS4902	0.5-10µl	Each	£39.00
SLS4904	5-50µl	Each	£39.00
SLS4906	10-100µl	Each	£39.00
SLS4908	100-1000µl	Each	£39.00
SLS4910	2-20µl	Each	£39.00
SLS4912	20-200µl	Each	£39.00

4 MyFuge 12 Micro Centrifuge

- Eliminates the need to change rotors when switching between microtubes and PCR strips
- Unique COMBI-Rotor™ (included) is all that is required for running 12 x 1.52.0ml microtubes and 4 PCR strips simultaneously
- Fixed speed that produces 2,000 xg. Simply close the lid and the unit quickly ramps up to 5500 rpm
- 150mm wide

Code	Pack	Price
SLS4780	Each	£245.00

1 NEW Hotplate Stirrer, Student

- Stainless steel with ceramic coated hotplate (135mm Ø) resists corrosion
- Heating temperature up to 280°C
- LED display shows temperature and speed
- 50°C HOT warning indicates residual hotplate temperature
- ABS chemical resistant casing

Code	Pack	Was	Now
SLS4780	Each	£175.00	£135.00



Telephone: 0115 982 2022 - sales@science2education.co.uk