1 ENVAIR TECHNOLOGY Clean Air & Containment DIRECT



1. Envair Technology Educational Fume Cupboards

Providing 100% exhaust to the atmosphere with filters that won't degrade over time after usage. They have low running costs, with no annual filter replacements.

All educational fume cupboards are compliant with CLEAPSS Guide G9 – Fume Cupboards in Schools (Revision of DfEE Building Bulletin 88), BS EN 14175, BREEAM compliant (ENE11 & HEA17), CLEAPSS tested and Good Practice Guide 320 – Energy Efficient Design and Operation of Fume Cupboards.

- Visibility to both sides suitable for demonstrations
- Trespa® Athlon work surface
- Vertically sliding toughened glass sash
- Storage compartment built in
- Integral high level lighting
- Airflow control panel
- RCD protected double socket outlet
- Gas outlet, water outlet & drip cup

Please contact us for a quotation prior to order as we will need to confirm delivery and installation requirements, and the resulting costs.

Code	Description	Dims, w x d x h, mm	Pack	Price
CAB7102	Fixed ducted	1000 x 715 x 2070	Each	**£3245.12**
CAB7334	Fixed ducted	1200 x 715 x 2070	Each	**£3481.71**
CAB7356	Semi mobile	1000 x 715 x 2070	Each	**£3643.90**
CAB7358	Semi mobile	1200 x 715 x 2070	Each	**£4026.83**
CAB7428	Mobile recirculating	1000 x 715 x 1950	Each	**£5236.59**
CAB7430	Mobile recirculating	1200 x 715 x 1950	Each	**£5604.88**
CAB7434	Wall docking station	—	Each	**£325.99**
CAB7432	Bench docking station	—	Each	**£321.99**

2 SAFELAB DIRECT



Please contact us for a quotation prior to order as we will need to confirm delivery and installation requirements, and the resulting costs.

Code	Description	Pack	Price
FUM3050	Airone 1000RS fume cupboard	Each	**£6114.00**
FUM3052	Lockable docking station	Each	**£376.52**

2. Safelab Airone 1000RS Fume Cupboard

The Airone 1000RS mobile filtration fume cupboard has been designed to comply to BS7989:2001 for filtration fume cupboards along with building bulletin 88 from the department for education and employment and has been tested by CLEAPSS.

The unit gives maximum flexibility and can be manoeuvred between different locations. A counter weighted sliding front sash and clear laminated glass sides and rear provide 360° all round visibility making this ideal for demonstrations.

The unit comes complete with integral storage cupboard and fan failure monitoring system.

- Variable air volume (two speed)
- Fully mobile
- No ducting required
- Fan failure monitoring
- Integral storage cupboard
- Carbon filter technology
- Restraining stainless steel tether
- Much lower energy costs compared with a ducted unit
- Remote gas service
- Remote water service including drip cup and bottle trap
- Electrical socket
- **Recommended fitting of lockable docking station (FUM3052)**
- Includes standard delivery