Gary D'Cruz
Territory Sales Manager
North London/Home Counties



Gary's Tech Guide on

# SLS Own Brand Products

## How it started

Scientific Laboratory Supplies (SLS) are the parent company of SLS Select Education and first began trading in 1991, since then we have grown to become the UK's largest independent supplier of laboratory equipment, chemicals and consumables.

SLS launched their own brand of equipment in 2001 after acquiring a plastic manufacturing company in the North-East of England. Our first products were petri dishes and plastic measuring cylinders – but now we have over 700 products in this money saving product range!

## Why create our own brand of products?

As we have lots of market data on buying patterns and trends, we have a really good idea what products are popular, and what people really need. Our SLS Lab Basics product range is designed for schools, giving them best value for money products, with suitable specifications and an affordable price.

We work with over 400 suppliers at SLS, and over the years, have built some very close relationships. This has led to us partnering up to produce many of the products within our SLS Private Label. The SLS brands are as follows:

- **SLS Select** – Consumables and chemicals to suit a wide range of applications
- **SLS Lab Basics** – Quality, value laboratory equipment for everyday use
- **SLS Lab Pro** – Tailored range of high quality equipment, consumables and reagents
- **SLS Flowgen** – Equipment, consumables and reagents for life science

## What the SLS own brand products want to achieve

The idea of the SLS own brand products is to produce equipment similar in quality and specification to our premium lines but with a price point closer to our economy lines. If budget is tight, switching these own brand products could help your department, by making your money stretch further.

# Here are a selection of our SLS branded products:

## 1. SLS Select Polypropylene Measuring Cylinder

An economical yet robust polypropylene cylinder with spout and moulded graduations.

| Code | Capacity, mL | Pack |
|---|---|---|
| **CYL2080** | 10 | Each |
| **CYL2082** | 25 | Each |
| **CYL2084** | 50 | Each |
| **CYL2086** | 100 | Each |
| **CYL2086-10** | 100 | 10 |
| **CYL2088** | 250 | Each |
| **CYL2090** | 500 | Each |
| **CYL2092** | 1000 | Each |

## 2. SLS Select Glass Measuring Cylinders, Class B

Made from high quality borosilicate glass. High chemical and thermal resistance. Sturdy hexagonal glass base and white graduations. Standards equivalent to ISO 4788.

| Code | Capacity, mL | Height, mm | Pack |
|---|---|---|---|
| **SLS5092** | 10 | 135 | 2 |
| **SLS5094** | 25 | 160 | 2 |
| **SLS5096** | 50 | 195 | 2 |
| **SLS5098** | 100 | 250 | 2 |
| **SLS5106** | 250 | 300 | 2 |
| **SLS5108** | 500 | 350 | 2 |
| **SLS5258** | 1000 | 430 | Each |

## 3. SLS Lab Basics Pacto Balances

- 2 year warranty
- Integrated overload protection
- Menu & calibration lock switch
- Low battery indicator & auto shut-off
- Slip-resistant and adjustable feet
- Levelling bubble

| Code | Capacity, g | Readability, g | Pack |
|---|---|---|---|
| **SLS5270** | 500 | 0.1 | Each |
| **SLS5272** | 2000 | 1 | Each |

## 4. SLS Lab Pro Unstirred Water Baths

- 3 year warranty
- Includes clear polycarbonate lid
- Sensitivity: ±0.2°C
- Uniformity: ±0.1°C
- Temp range: ambient +5 to 99°C
- Digital PID control with
- LED temperature display

| Code | Capacity, L | Drain Outlet | Pack |
|---|---|---|---|
| **SLS1274** | 2 | No | Each |
| **SLS1176** | 4 | No | Each |
| **SLS1178** | 14 | No | Each |
| **SLS1180** | 22 | Yes | Each |
| **SLS1181** | 28 | Yes | Each |

1



2




3




4



## 1. SLS Lab Basics Hotplate Stirrers

- Stainless steel with ceramic coated hotplate (135mm Ø) resists corrosion
- LED display shows temp & speed
- ABS chemical resistant casing
- SLS4780 includes a free PT1000 probe (SLS4803)

| Code | Max. Temp | Pack |
|---|---|---|
| **SLS4780** | 280°C | Each |
| **SLS47800** | 340°C | Each |

1




## 2. SLS Lab Basics Pipettes, Single Channel

- Ergonomic design ensuring light weight & soft plunger movement
- Click-stop system for volume selection
- Colour coded for easy identification
- Calibration conforms to EN-ISO 8655 standards ensuring high accuracy & precision
- Calibration report enclosed with every pipette

| Code | Volume Range, µL | Compatible Tips (SLS Lab Pro) | Pack |
|---|---|---|---|
| **SLS4900** | 0.1 - 2.5 | 10µL/10XL | Each |
| **SLS4902** | 0.5 - 10 | 10µL/10XL | Each |
| **SLS4910** | 2 - 20 | 10XL | Each |
| **SLS4904** | 5 - 50 | 20L/100µL | Each |
| **SLS4906** | 10 - 100 | 100µL/200µL | Each |
| **SLS4912** | 20 - 200 | 200µL/300µL | Each |
| **SLS4908** | 100 - 1000 | 1000µL/1250µL | Each |
| **SLS4914** | 500 - 5000 | 5000µL | Each |
| **SLS4916** | 1000 - 10000 | 10000µL | Each |

2




## 3. SLS Select Low Form Beakers

- Ideal for general laboratory use
- White graduations and marking spot
- Made from high quality 3.3 borosilicate glass
- High chemical and thermal resistance
- Standards equivalent to ISO 3819

| Code | Capacity, mL | Dims, Ø x h, mm | Pack |
|---|---|---|---|
| **SLS5016** | 25 | 34 x 50 | 12 |
| **SLS5030** | 50 | 42 x 60 | 12 |
| **SLS5070** | 100 | 50 x 70 | 12 |
| **SLS5072** | 150 | 60 x 80 | 12 |
| **SLS5074** | 250 | 70 x 95 | 12 |
| **SLS5076** | 400 | 80 x 110 | 12 |
| **SLS5078** | 600 | 90 x 125 | 6 |
| **SLS5080** | 1000 | 105 x 145 | 6 |

3




## To view more products, please select a range below:

SELECT · LAB BASICS · LAB PRO · FLOWGEN A LIFE SCIENCE BRAND