

BRANDS SPECIAL



































besa 🛷 We are a member of

Brought to you by the UK's largest independent supplier of scientific equipment, apparatus and chemicals.



Postal Address:

SLS Select Education Scientific Laboratory Supplies Ltd, Wilford Industrial Estate, Ruddington Lane, Nottingham, NG11 7EP

Telephone: 0115 982 2022

Fax: 0115 945 5379 Email: sales@science2education.co.uk Online: www.science2education.co.uk

Terms & Conditions:

Free delivery is available to educational establishments registered as 'Select Savers' only. Register with us online at www.science2education.co.uk/ selectsaver. All prices given are valid until the 13th April 2017. Full T&C's are listed on our website and in our main catalogue. Errors and omissions excepted.

Territory Sales Managers

Allison Caldwell

North of England Tel: 07875 249 022 Email: acaldwell@scientific-labs.com

Julie Davies

East Midlands Tel: 07583 103 340 Email: jdavies@scientific-labs.com

Martin Hinsley

West Midlands and Wales Tel: 07551 122 911 Email: mhinsley@scientific-labs.com

Gary D'Cruz

North London/Home Counties Tel: 07432 384 215 Email: gdcruz@scientific-labs.com

Lvnn Thorne

South London/South Coast of England Tel: 07807 318 036 Email: lthorne@scientific-labs.com

We're exhibiting at the...

The Association for Science Education

ASE Annual Conference 2017 - University of Reading

- Visit us on stand D14
- Hosting our own Lonza electrophoresis workshop
- Live experiments taking place for AS Level (AQA)
- Wide product range
- Wed 4th- Sat 7th Jan 2017



Scan to view the full price list of everything on the stand plus details of our Lonza electrophoresis workshop!

www.science2education.co.uk/ASE2017.pdf

HIGHLIGHTS

CONTENTS













Clifton Range®









































Science. Applied to Life.™

3M[™] safety spectacles and goggles provide protection from a number of laboratory hazards and are available with a selection of coatings, lens types and accessories.

1

(2)



Part of Nickel-Electro Ltd, is a British manufacturer, specialising in the design and manufacture of temperature control equipment. The company have a philosophy of manufacturing everything on-site, in order to control lead time, quality and cost.

3M™ Visitor Over Spectacle, Clear

The 3M™ Visitor overspectacles are lightweight polycarbonate visitor specs with moulded sideshields and browquards. Can be worn on their own or over prescription spectacles.

Was SAF1410 £1.25 £1.00

2 3M™ Virtua AP Spectacles

Comfortable, impact-resistant, lightweight frame with high wrap lens for snug fit. Integral side shields, brow guard and flat arms that are compatible with ear muffs. Polycarbonate lenses with anti scratch coating also absorb 99.9% UV. Meets the requirements of EN 166:2001

Was SAF1402 Each £1.65 £1.49

(4)

ONLY

£15.40

EACH



20%

OFF

3M™ SecureFit Protective Eyewear

With $3\ensuremath{\mathrm{M^{TM}}}$ pressure diffusion temple technology. This ensures that there is no one pressure point and provides a very comfortable fit.

- Extremely lightweight weighs just 18g for lightweight comfort
- Anti-scratch and anti-fog lens coatings
- Flexible arms provide a secure fit with most head shapes

| ode | Pack | Was | Now |
|--------|------|-------|-------|
| AF1400 | Each | £2.80 | £2.52 |

Spectacle/Goggle Storage Unit

These holders are perfect for schools providing a space saving solution for safety goggles or spectacles. They can be hung on walls or on the back of doors using the integral reinforced eyes and the clear plastic material allows an instant visual indication of the contents. Holds 24 pairs of spectacles/goggles.

| Code | Pack | Price |
|---------|------|--------|
| SAF3214 | Each | £15.40 |

Clifton NE2D Digital Bath, Unstirred

Clifton NE2D digital water baths provides a stable temperature environment with digital PID temperature control for precision. Controls feature auto alarm settings, illuminated on/off switch, heater and over temperature indications. 3 year warranty.

- Sensitivity ±0.2°C
- Uniformity ±0.1°C
- Temperature range ambient +5 to 99°C
- Digital PID control with LED temperature display
- Over temperature alarm with heater cut off +4°C above set point
- Touch pad controls with easy wipe surfaces
- Painted body and controls features antibacterial protection
- Drain outlet on 22 and 28 litre, option of accessory gated tap
- Lid recommended above 60°C

| Code | Capacity | Pack | Was | Now |
|----------|---------------|------|---------|---------|
| BAT7022P | 4L & free lid | Each | £410.55 | £369.50 |
| BAT7024P | 8L & free lid | Each | £428.93 | £368.04 |



Churchill Test Tube Stand

Stainless steel test tube racks to fit the Clifton series of water baths.

| BAT2815 44 / 25mm 14L Each £39.95 £35. | Code BAT2800 BAT2803 BAT2806 BAT2809 BAT2812 BAT2815 | Hole / Dia 28 / 18mm 44 / 18mm 68 / 18mm 44 / 25mm 44 / 25mm 44 / 25mm | To Fit 2 & 4L 8L 14L 2 & 4L 8L 14L | Pack Each Each Each Each Each Each | Was £39.95 £39.95 £39.95 £39.95 £39.95 | No £35.9 £35.9 £35.9 £35.9 £35.9 |
|--|--|--|------------------------------------|------------------------------------|---|---|
|--|--|--|------------------------------------|------------------------------------|---|---|

(4) Circular, Boiling Bath

Aluminium. Supplied with integral 1KW heating element with overheat protection, power cable, constant level device and set of concentric rings. Dimensions 203 x 127mm (Ø x depth). For 220 - 240V.

| Code | Pack | Was | Now |
|---------|------|---------|---------|
| BAT1002 | Each | £269.30 | £242.37 |



Clifton NE1 Triplebath™ Baths

Three independent temperature controlled water baths, suitable for processing small reaction tubes, test tubes or vessels at three different temperatures, in one location. Perfect for enzyme experiments and much more economical than purchasing three separate baths.

- Sensitivity: ±0.5°C
- Uniformity: ±0.5°C
- Range: ambient +5°C 99°C
- Thermostatic control
- Lid recommended above 60°C needs to be ordered seperately

| Code | Capacity | Pack | Was | Now |
|----------|----------|------|---------|---------|
| EDNE1222 | 3 x 2L | Each | £495.00 | £470.25 |
| EDNE1444 | 3 x 4L | Each | £615.00 | £584.25 |





Euromex Microscopes are a leading manufacturer of microscopes. Based in Arnhem, Holland their microscsopes boast impressive warranties and life long spare part availability.



For over 40 years, Gratnells has been the leading name in school storage. Gratnells award-winning educational trays are renowned for their quality, safety, strength and durability.





Euromex MicroBlue Monocular Microscope

- Secured wide field eyepiece WF 10x/18 mm with fixed pointer
- Achromatic 4x N.A. 0.10, 10x N.A. 0.25 and S40x N.A. 0.65 35mm parafocal objectives. The S40x objective is spring-mounted
- Square stage 105 x 105 mm with two object clamps
- Coaxial coarse and fine adjustment knobs on both sides with 0.002 mm graduations. Friction of focus control can be adjusted
- Fixed lens N.A. 0.65 condenser with iris diaphragm and filter holder
- LED 1W illumination with intensity control, rechargeable batteries with external power supply/charger

| Code | Pack | Was | Now |
|---------|------|---------|--------|
| MIC6660 | Each | £104.50 | £99.95 |

Euromex BioBlue Microscopes

- Rotating monocular head, 45° inclined
- WF 10x/18mm widefield eyepiece with pointer
- Semi-plan x4, x10 & x40 objectives
- Coaxial coarse & fine (2µm precision) focussing
- Plain 123x119mm stage with object clamps
- In height adjustable Abbe condenser N.A. 1.25
- Adjustable LED illumination with built-in power supply
- Rechargeable batteries allow for cordless operation

| Code | Description | Pack | Was | Now |
|---------|-------------|------|---------|---------|
| MIC6618 | Monocular | Each | £235.00 | £211.50 |
| MIC6621 | Binocular | Each | £295.00 | £265.50 |

Euromex EcoBlue Digital Microscope

- Rotating monocular head, 45° inclined
- WF 10x/18mm Widefield eyepiece with pointer
- Built in 3.2MP CMOS Camera with USB2.0
- Delivered with ImageFocus® software Forwarded quadruple revolving nosepiece
- Achromatic x4, x10 & S40x objectives
- Coaxial coarse & fine (2µm precision) focussing
- Plain 123x119mm stage with object clamps
- 1W LED illumination, 230V, CE certified
- In height adjustable Abbe condenser N.A. 1.25

| Code | Description | Pack | Was | Now |
|---------|--------------------------|------|---------|---------|
| MIC6609 | Microscope only | Each | £255.00 | £229.50 |
| MIC6612 | Microscope with x100 O.I | Each | £320.00 | £272.00 |

Microscope Accessories

Perfect for prescribed practicals and compatible with most full size

| Code | Description | Pack | Price |
|--------|--------------------------------|------|--------|
| AE5084 | Micrometer eyepiece WF 10x18mm | Each | £35.00 |
| AE1110 | Euromex stage micrometer | Each | £22.86 |

FREE MICROSCOPE POSTER WITH THESE MICROSCOPES - QUOTE 'POSTER0417'

Double Column Chemical Storage Unit

Translucent trays allow you to easily see the contents of the trays and the additional shelves are useful for larger items

- 12 translucent shallow (F1) trays
- 4 translucent deep (F2) trays
- 2 translucent jumbo (F3) trays
- 14 pairs of runners
- 8 single shelves the bottom trays sit on shelves for easy access
- Dimensions (H x W x D): 1850 x 710 x 420mm

| Code | Pack | Was | Now |
|--------|------|---------|---------|
| 2625CS | Each | £449.99 | £404.99 |



Triple Science Storage Trolleys

Boasting a sleek new design and premium specification, each trolley features high handles for easy mobility and a stylish silver trim to match any science lab or prep-room. Fitted with StopSafe runners and robust reinforced castors. Supported by a 5 year manufacturers warranty. Dimensions (H x W x D): 1050 x 1020 x 430mm.

Please specify the tray colour when ordering (see website for details): Frame: grey (default) Tray: choice of 25 colours, red (default)

| Code | Travs included | Pack | Was | Now |
|---------|--------------------|------|---------|---------|
| SED1300 | 16 shallow | Each | £340.00 | £323.00 |
| SED1303 | 8 deep | Each | £329.38 | £312.91 |
| SED1306 | 8 shallow & 8 deep | Each | £334.69 | £317.96 |





F1 Shallow Trays

- Trays available in national curriculum colours
- Lids and inserts also available
- 427 x 312 x 75mm (L x W x H)

| Code | Colour | Pack | Was | Now |
|----------|-----------------|------|-------|-------|
| SED11020 | Translucent | Fach | £2.20 | £2.09 |
| SED11020 | Sunshine yellow | Fach | £2.20 | £2.09 |
| SED11024 | Tropical orange | Each | £2.20 | £2.09 |
| SED11026 | Flame red | Each | £2.20 | £2.09 |
| SED11028 | Fuscia pink | Each | £2.20 | £2.09 |
| SED11030 | Royal blue | Each | £2.20 | £2.09 |
| SED11032 | Grass green | Each | £2.20 | £2.09 |
| SED11034 | Dark brown | Each | £2.20 | £2.09 |
| | | | | |



Hanna Instruments is a world leader in electrochemistry with global sales of scientific instruments in over 66 countries.



IPC Electronics design and manufacture a range of high quality instruments for the educational sectors from their factory in the heart of the Lake District.



Hanna HALO™ Plastic Bluetooth pH electrode

 ${\sf HALO^{TM}}$ is the world's first professional pH probe with Bluetooth® [4.0] smart technology. With a 10m range, HALO can be used outside or in the Lab, in sealed fume cupboards and can be monitored from a distance. It can be used in two ways, with the free HANNA Lab app or with Edge Blu pH meter. HANNA Lab app allows the user to calibrate and to have full GLP data, a continuous pH log and fluid graphing facility using the iPad pinch and zoom technology. Connects quickly by selecting the relevant probe from a drop down list.

Features:

- pH range/accuracy -2.000 to 16.000/ +/-0.005pH
- mV range +/-800mV
- Temperature range -20.0 to 120.0°C
- Calibrate with up to 5 points with seven standard buffers
- Auto temperature compensation
- Quick simple connection to iPad/Edge Blu
- Glass pH electrode for general purpose use
- GLP data logging
- Fluid dynamic graphing & alarm feature (with HANNA Lab app)

HALO used with HANNA Lab app. Is designed for use with iPad 3rd generation & iPad Mini with Bluetooth 4.0 and iOS 7.1 or later.

| Code | Pack | Was | Now |
|---------|------|-----------|--------|
| PHE1028 | Each | £157.73 £ | 141.96 |

Hanna pH Checker

Simple pocket pH tester ideal for testing water samples. The interchangeable probe is small enough to fit into a test tube, requiring only a small sample for testing. Manual two point calibration, the Checker 1 is supplied with batteries and a calibration screwdriver.

- pH range/resolution: 0.00 to 14.00
- Accuracy: ±0.2pH
- Battery: 2 x 1.5V
- Battery Life ~3000 hours

| Code | Pack | Price |
|---------|------|--------|
| PHM4000 | Each | £32.50 |

Hanna Desktop pH Meter

Bench top pH/C meter with incorporated sample beaker and pH electrode. The Hanna HI 207 is an all-in-one pH meter designed to meet the classroom environment with features such as a builtin beaker holder, beaker-top electrode holder and 3-in-1 pH and temperature sensor.

This instrument also features an extended pH range of -2.00 to 16.00, dual-level LCD with icons for stability and buffer recognition, automatic pH calibration with 2 sets of memorised buffers, Čelsius or Fahrenheit temperature range and automatic temperature compensation. The HI 207 operates on either the 12 Vdc adapter or

| Code | Pack | Was | Now |
|---------|------|---------|---------|
| PHM2060 | Each | £194.01 | £174.61 |



IPC LoVolt Power Supply

- Voltage Output: 2, 4, 6, 9, 12 or 14V a.c. or unsmoothed d.c. at
- Current Output: 4A continuously, or up to 5A for periods of 1 hour
- Protection: Circuit breaker mounted on front panel
- Weight: 2.8kg
- Dimensions: 179 x 190 x 85mm

Housed in a robust metal case with a durable powder coated finish. Supplied with mains lead and instructions.

| Code | Pack | Was | Now |
|---------|------|---------|--------|
| EL10343 | Each | £103.50 | £82.80 |

IPC Student Power Supply

- Voltage Output: 2, 4, 6, 9, 12 or 14V a.c. or unsmoothed d.c. at
- Voltage Lock: Selection & Lock using a removable key.
- Current Output: 4A continuously, or up to 5A for periods of 1 hour.
- Protection: Circuit breaker mounted on front panel
- Weight: 2.8kg
- Dimensions: 179 x 190 x 85mm

Housed in a robust metal case with a durable powder coated finish. Supplied with key and instructions.

| Code | Pack | Was | Now |
|---------|------|---------|--------|
| EL10346 | Each | £108.00 | £84.24 |



(3) IPC Digital Meters, Premium

A range of high quality ammeters and voltmeters all with a resolution of 4 significant figures. The 31/2 digit liquid crystal display has 13mmhigh digits with a wide field of view unobscured by trailing leads. The display also provides indication of polarity and low battery. The unit is exceptionally easy to read. Two colour coded 4mm sockets are located on the sides for maximum convenience and anti-slip feet are fitted to the base. Low operating current gives expected battery life in excess of 500 hours. Housed in a robust ABS case. Supplied with battery.

| Code | Colour | Pack | Price |
|---------|--------------------|------|--------|
| EL10385 | Ammeter 10A D.C. | Each | £24.50 |
| EL10388 | Voltmeter 20V D.C. | Each | £24.50 |



(4) IPC Digital Meters, Premium

A multi-purpose instrument which is invaluable in the physics laboratory, combining the functions of a multi-purpose timer, a ratemeter and a frequency meter in one compact and economical unit. Its uses are many and varied covering a wide area of the physics syllabus. Ideal for use with our GM tube and stand - see our website for full specifications.

| Code | Pack | Was | Now |
|---------|------|---------|---------|
| EL10439 | Each | £294.35 | £250.20 |





locktronics

Locktronics is a range of products manufactured in West Yorkshire that simplifies the process of learning and teaching electricity and electronics. The core range consists of more than 200 electronic components,

molymod®

The original dual-scale system of molecular models designed and manufactured in England by Spiring Enterprises.





Locktronics Components

| Code | Description | Pack | Was | Price |
|--------|------------------------------------|------|--------|--------|
| LK4025 | Resistor 10 ohm 1W 5% (DIN) | Each | £2.48 | £2.36 |
| LK4002 | Resistor 100 ohm 1W 5% (DIN) | Each | £2.43 | £2.31 |
| LK5250 | Connecting Link | Each | £2.35 | £2.23 |
| LK8900 | 7 x 5 baseboard with 4mm pillars | Each | £37.47 | £35.60 |
| LK5291 | Lampholder MES | Each | £3.92 | £3.72 |
| LK5249 | Diode silicon | Each | £2.35 | £2.23 |
| LK6841 | MES bulb 12V LED white | Each | £1.07 | £1.02 |
| LK2347 | MES bulb 6V 0.04A | Each | £1.01 | £0.96 |
| LK4065 | Resistor 47 ohm 1/2W 5% (DIN) | Each | £2.35 | £2.23 |
| LK6635 | LED red 5V | Each | £3.47 | £3.30 |
| LK5401 | Thermistor 470 ohm NTC (DIN) | Each | £5.28 | £5.02 |
| LK6207 | Switch push to make metal strip | Each | £4.56 | £4.33 |
| LK6653 | Capacitor 4700 uF Electrolytic 16V | Each | £8.21 | £7.80 |
| | | | | |

Fundamentals of Electricity Kit

This kit provides an introduction to the fundamentals of electricity. It is ideal for those who are completely new to the subject, and is suitable for use from ages 8 to 13. The kit is supplied with 30 pages of notes and worksheets. (In the UK suitable for KS1, KS2 & KS3 science units

Switches

Buzzers

Motors

Two way switches

£89.10

Series circuits Parallel circuits

Learning objectives/experiments:

- What is electricity?
- Simple electrical components
- The simplest circuit
- Conductors and insulators

| Code | Pack | Was |
|--------|------|--------|
| LK6444 | Each | £99.00 |


Energy & The Environment Kit

This course provides an introduction to renewable energy generation and energy saving measures through intelligent building control. As such, it addresses the aims of a number of courses in science and technology. A comprehensive set of curriculum worksheets and supporting documentation deliver experiments to illuminate the issues raised

Learning objectives:

- Advantages/disadvantages of renewable energy sources:
- photovoltaic, wind, wave, hydroelectric
- Solar cells and their operation
- Electricity generators Solar heating and energy storage
- Voltage regulation
- Efficiency of a filament lamp and LED lamp
- Insulation and double glazing
- Energy efficient building design using microcontrollers

| Code | Pack | Was | Now |
|--------|------|---------|---------|
| LK7345 | Each | £390.60 | £295.00 |



Organic (Student) Set

50 atoms supplied in one 4-compartment box

Contains: 20 hydrogen (I), 12 carbon (IV), 6 oxygen (II), 4 nitrogen (III, IV), 2 sulphur (IV, VI), 1 phosphorus (IV), 4 halogen (I), 1 metal (I) links: 26 medium grey, 12 long flexible & 26 short.

| Code | Pack | Was | Now |
|--------|------|--------|--------|
| MMS008 | Each | £15.40 | £13.09 |

Atomic Orbital 14 Model Collection Set

This set contains sufficient parts to make 14 easy to self- assemble atomic orbitals. Pink and purple coloured pear shaped lobes represent the two wave phases, positive and negative of the p and $\mbox{\bf d}$ atomic orbitals. The atomic nuclei are represented by opaque white

Each model comes with its own individual colourless transparent base for display purposes. Approximate model heights including base are: s-orbital 5cm, p-orbital 9cm, d-orbital 8cm.

| Code | Pack | Was | Now |
|----------|------|--------|--------|
| M0S90114 | Each | £21.00 | £17.85 |

Biochemsitry Student Set

72 atoms supplied in one 4-compartment box

Contains: 25 hydrogen, 21 carbon, 13 oxygen, 11 nitrogen, 1 sulphur, 1 phosphorus. Links: 40 medium grey.


| Code | Pack | Was | Now |
|--------|------|--------|--------|
| MMS010 | Each | £16.80 | £14.28 |
| | | | |

Inorganic-Organic 1 (Teacher) Set

108 atoms supplied in a large one compartment box

Contains: 14 hydrogen (I, II), 20 carbon (IV, V), 22 oxygen (II, IV), 10 nitrogen (III, IV), 13 sulphur (II, IV, VI), 7 phosphorus (III, IV, V,), 8 halogen (l), 14 metal (I, II, III, IV, VI), 18 lone pair 2D paddles (6 pink, 6 purple, 6 beige) links: 38 medium grey, 12 medium purple, 36

| Code | Pack | Was | Now |
|--------|------|--------|--------|
| MMS004 | Each | £14.50 | £12.33 |





A truly global brand name that is now the most recognised manufacturer of high quality balances used in schools across the UK.



Simax borosilicate 3.3 glassware provides an excellent range of high quality laboratory apparatus at highly competitive prices.





(3) OHAUS Pioneer Series Balance

The OHAUS Pioneer series of analytical and precision balances are designed for basic routine weighing in a variety of laboratory, industrial and education applications. With the right combination of performance and features, the Ohaus Pioneer offers uncomplicated performance for all your basic weighing needs.

- Fixed integral weigh below hook
- Menu and calibration locks
- RS232 including user ID, project ID, time and date lines
- All glass frameless draughtshield with 3 sliding doors on 1mg models

| Code | Model | Capacity x Readability | Pack | Was | Now |
|--------------------|--------|------------------------------|-------|--------------------|---------|
| BAL3918 BAL3920 | | 210g x 0.01g 410g x 0.01g | | £450.00 £485.05 | |
| DALS/20 | 1 A410 | 410g x 0.01g | Lacii | L403.03 | L440.07 |

1 OHAUS CL Series Balance

The OHAUS CL Compact Scale is a lightweight, portable scale perfectly suited for simple school laboratory weighing.

Features

- Storage made easy with a stackable design
- Integrated load cell lock
- Battery operation with auto shut-off

| Code | Model | Capacity x Readability | Pack | Was | Now |
|---------|-------|------------------------|------|--------|--------|
| BAL2452 | CL501 | 500g x 0.1g | Each | £38.50 | £26.95 |

2 OHAUS Scout® Pro Balance

The OHAUS Scout® Pro designed for use in laboratory, industrial or education applications. Features include easy-to-use two-button operation, a high-contrast LCD display, multiple weighing units, four application modes, and the option of either RS232 or USB connectivity.

Features:

- 6 digit high contrast LCD panel
- 7 weighing units and 5 application modes
- AC power (adaptor supplied) or 4 x AA batteries (not supplied)
- Stainless steel weighing platform
- Calibration mass (included on 200g, 400g and 600g models)
- Auto shut off programmable and weigh below hook
- RS232/USB interface as an option
- Menu and transportation locks
- Sealed front panel and moulded spill ring
- Overall dimensions 192 x 54 x 210mm, W x H x D
- 1mg version includes draft cover
- 2 year warranty

| Code | Model | Capacity x Readability | Pack | Price |
|---------|--------|------------------------|------|---------|
| BAL6249 | SPU602 | 600g x 0.1g | Each | £139.00 |



1 Simax Test Tubes, Rimmed Series

Borosilicate 3.3 glass test tubes.

| Medium W | all all | | | | |
|---|--|-------------------------------|--------------------------|--------------------------|-------------------------|
| Code TES1612 TES1621 | Dins (L x 0.D.) 125 x 16mm 150 x 24mm | Wall 1.2mm 1.2mm | Pack 100 50 | Was £24.50 £19.99 | Now £23.28 £18.99 |
| Heavy Dut Code TES1627 TES1636 | Dins (L x 0.D.) 125 x 16mm 150 x 24mm | Wall 1.8mm 1.8mm | Pack 100 50 | Was £35.97 £31.25 | Now £32.37 £28.13 |

2 Simax Flasks, Büchner

Borosilicate glass with glass hose connection and reinforced rim.

| Code | Capacity | Stopper | Pack | Price |
|---------|------------|---------|------|--------|
| FLA3800 | 125 x 16mm | 33 | Each | £13.41 |
| FLA3802 | 150 x 24mm | 33 | Each | £14.30 |

3 Simax Beakers, Low Form


Manufactured to ISO 3819 from borosilicate 3.3 glass.

| Code | Capacity | Pack | Price |
|----------|----------|------|--------|
| BEA10040 | 50ml | 10 | £9.25 |
| BEA10060 | 100ml | 10 | £7.50 |
| BEA10080 | 250ml | 10 | £8.25 |
| BEA10100 | 400ml | 10 | £13.65 |
| BEA10160 | 1L | 10 | £24.35 |

4 Simax Glass Measuring Cylinder, Class B

Borosilicate glass with spout, hexagonal foot and white graduations.

| Code | Capacity | Pack | Was | Now |
|---------|------------|------|-------|-------|
| CYL1072 | 10 x 0.2ml | Each | £2.91 | £2.47 |
| CYL1074 | 25 x 0.5ml | Each | £3.19 | £2.71 |
| CYL1076 | 50 x 1ml | Each | £3.59 | £3.05 |
| CYL1078 | 100 x 1ml | Each | £3.98 | £3.38 |
| CYL1080 | 250 x 2ml | Each | £6.17 | £5.24 |











Our very own brand of labware. The SLS SELECT range is designed with quality and price in mind and is used in thousands of laboratories across univerisities and industry.



Part of Bibby Scientific, one of the largest broad based manufacturers of laboratory products worldwide. Bibby Scientific Ltd provides internationally recognised brands with reputations for product quality and high performance.





1) Petri Dishes, 90mm

High quality, disposable petri dishes, aseptically manufactured in clear polystyrene to the highest standards. Suitable for all applications including bacteriological. Compatible with most automatic systems.

| Code | Vent | Pack | Price |
|---------|--------|------|--------|
| SLS2000 | Single | 500 | £28.50 |
| SLS2002 | Triple | 500 | £28.50 |

2 Wash Bottle PP

| Code | Description | Pack | Was | Now |
|---------|-------------|------|-------|-------|
| B0T2178 | 250ml | Each | £0.60 | £0.54 |
| B0T2180 | 500ml | Each | £0.79 | £0.67 |

(3) Pasteur Pipettes

| Code | Description | Pack | Was | Now |
|---------|--------------------------|------|-------|-------|
| PIP4206 | 1ml bulk non-sterile | 500 | £4.89 | £4.40 |
| PIP4208 | 3ml sleeve of 20 sterile | 500 | £7.99 | £7.19 |

(4) Bottles, Narow Mouth with Screw Cap

Polypropylene narrow mouth bottle and cap. Autoclavable

| Code | Description | Pack | Was | Now |
|---------|-------------|------|-------|-------|
| B0T2182 | 60ml | 12 | £4.31 | £3.88 |
| B0T2184 | 125ml | 12 | £6.04 | £5.44 |
| B0T2186 | 250ml | 12 | £9.31 | £8.38 |
| B0T2188 | 500ml | 6 | £6.38 | £5.74 |

(5) Reagent Glass Bottle, Clear, Narrow Mouth

| Code BOT5500 BOT5502 BOT5504 BOT5506 BOT5508 | Description 30ml 50ml 100ml 250ml 500ml | Pack Each Each Each Each Each | Was £2.25 £2.35 £2.83 £3.25 £4.11 | Now £2.03 £2.12 £2.55 £2.93 £3.70 |
|---|--|-------------------------------|--|--|
| B0T5508 | 500ml | Each | £4.11 | £3.70 |
| B0T5510 | 1L | Each | £6.05 | £5.45 |



1 Stuart Merit W4000 Water Still

An economically priced water still producing up to 4 litres/hour of quality distillate. Plumbing connections to the condenser are by plastic screwthread connectors for quick release and ease of operation. 3kW heater protected by two thermal cutouts in the event of water failure

- Weight: 6kg
- Power requirements: 230V, 50-60Hz, 3KW.
- Dimensions (W x D x H): 500mm x 150mm x 450mm

| Code | Pack | Was | Now |
|---------|------|---------|---------|
| WAT2020 | Each | £755.00 | £698.38 |



3 Stuart 'Bibby' Mini Stirrer

- Powerful, lightweight magnetic stirrer
- Capable of stirring up to 1L
- Universal power adaptor- Choice of designs
- With BioCote antimicrobial protection
- 350 to 2000 rpm

The unit is made from robust polypropylene with a chemically resistant polycarbonate top.

| Code | Pack | Was | Now |
|---------|------|--------|--------|
| STI2656 | Each | £94.00 | £86.95 |



2 Stuart Water Still Distinction

All glass construction with silica sheathed heaters ensures top purity distillate at an economical price. Fitted with a control device to turn off the heater when the collecting reservoir is full. Prevents overflow if the still is inadvertently left switched on when unattended. With two independent safety thermostats to prevent over heating in the event of an interruption to the water supply. N.B. Heating elements are not covered by the 3 year warranty.

- Two independent safety thermostats
- Safety reservoir full shut off
- Wall mountable
- Silica sheathed heaters

| Code | Pack | Was | Now |
|-------|------|----------|----------|
| D4000 | Each | £1195.45 | £1105.79 |





Our very own equipment range, SLS Lab Basics is sold across a variety of industries across the world combining both quality and affordability.



(2) NEW Hotplate Stirrer, Pro

- Stainless steel with ceramic coated hotplate (135mm Ø) resists corrosion
- Simple running interface easy to use and program
- Records and displays the last running parameters
- LCD display shows target and actual temperatures, as well as set and actual speed
- PID temperature technology precisely controls the heating process, rapidly reaches target temperature and enhances control accuracy
- 50°C HOT warning indicates residual hotplate temperature
- Free software StirPC which enables PC control

| Code | Pack | Normally | Now |
|---------|------|----------|---------|
| SLS4800 | Each | £320.00 | £250.00 |

3 Variable Volume Micropipette

- Ergonomic design ensuring light weight & soft plunger movement
- Click-stop system for volume selection
- Colour coded for easy identification
- Calibration report enclosed with every pipette
- Full range of tips available see our website

| Code | Description | Pack | Price |
|---------|-------------|------|--------|
| SLS4902 | 0.5-10µl | Each | £39.00 |
| SLS4904 | 5-50µl | Each | £39.00 |
| SLS4906 | 10-100µl | Each | £39.00 |
| SLS4908 | 100-1000µl | Each | £39.00 |
| SLS4910 | 2-20µl | Each | £39.00 |
| SLS4912 | 20-200μl | Each | £39.00 |

(4)

MyFuge 12 Micro Centrifuge

- Eliminates the need to change rotors when switching between microtubes and PCR strips
- Unique COMBI-Rotor™ (included) is all that is required for running 12 x 1.52.0ml microtubes and 4 PCR strips simultaneously
- Fixed speed that produces 2,000 xg. Simply close the lid and the unit quickly ramps up to 5500 rpm
- 150mm wide

| Code | Pack | Price |
|---------|------|---------|
| SLS4780 | Each | £245.00 |

1 NEW Hotplate Stirrer, Student

- Stainless steel with ceramic coated hotplate (135mm Ø) resists corrosion
- Heating temperature up to 280°C
- LED display shows temperature and speed
- 50°C HOT warning indicates residual hotplate temperature
- ABS chemical resistant casing

| Code | Pack | Was | Now |
|---------|------|---------|---------|
| SLS4780 | Each | £175.00 | £135.00 |

