

WINTER OFFERS
WINTER OFFERS
WINTER OFFERS
WINTER OFFERS
WINTER OFFERS
WINTER OFFERS

**10% OFF
CHEMICALS**

see page 6 for details...

Including **SIGMA-ALDRICH®**

FREE

**Free 10ml Plastic Pipettes
(PK10) with all orders!**

Quote **47510SP** at the time of ordering.

No minimum order value!

MOTIC
SFC-100 FROM
£82

see page 3...



see page 2...

NEW
SCOUT BALANCE
10% OFF



FREE
PK10 STERILIN
PIPETTES



NEW**10% OFF**
WHEN YOU BUY
5 OR MORE

New OHAUS Scout® Balances

Ready for your lab, wherever that may be. With the updated Scout® portable balances, you get the same exceptional accuracy and reliability of earlier Scouts along with several new improvements. Easy to use with a 4-button keypad and intuitive, visual menu prompts.

- Application: Weighing (7 units) - Counting, Percent, Display Hold, Totalisation, Check Weigh, Specific Gravity/Density, Dynamic
- Display: LCD screen with white LED backlight
- Operation: Mains or battery
- Construction: ABS plastic housing with stainless steel pan

Code	Capacity x Readability	Pack	Price (1-4)	Price (5+)
BAL0030	120g x 0.001g	Each	£254.00	£228.60
BAL0031	220g x 0.01g	Each	£169.00	£152.10
BAL0032	420g x 0.01g	Each	£199.90	£179.90
BAL0033	620g x 0.01g	Each	£225.00	£202.50
BAL0034	1000g x 0.01g	Each	£255.00	£229.60
BAL0035	2000g x 0.01g	Each	£305.00	£274.50
BAL0036	400g x 0.1g	Each	£118.45	£106.61
BAL0037	600g x 0.1g	Each	£135.40	£121.85
BAL0038	2200g x 0.1g	Each	£177.70	£159.90
BAL0039	6200g x 0.1g	Each	£232.70	£209.40

Accessories

Code	Description	Pack	Price
BAL1017	RS232 Interface Kit, Scout	Each	£29.50
BAL1018	Bluetooth Interface Kit, Scout	Each	£54.50
BAL1019	Stacking Kit	6	£26.00

OHAUS Scout® Pro Balances

Features include easy-to-use two-button operation, a high-contrast LCD display, multiple weighing units, four application modes, and the option of either RS232 or USB connectivity.

Code	Capacity x Readability	Pack	Price
BAL6247	120g x 1mg	Each	£226.47
BAL6251	200g x 10mg	Each	£161.12
BAL6253	400g x 10mg	Each	£189.59
BAL6249	600g x 10mg	Each	£205.12
BAL6255	400g x 100mg	Each	£95.12

**WHILST
STOCKS
LAST****Limited
Availability****FROM
£53.12
EACH**

Novex Junior LED Microscope

- **Eyeiece** Eyepiece with locked-in WF 10x eyepiece with fixed pointer
- **Head** Monocular rotatable tube 130 mm
- **Revolver** Triple revolving nosepiece
- **Objectives** Locked-in achromatic objectives 4x, 10x and spring loaded S40x.
- **Magnification** 40x, 100x and 400x
- **Stand** Focusing rack and pinion focusing with slip-clutch mechanism. Stand off-white/black epoxy coated stand
- **Stage** Stage 90 x 90 mm. Adjustable stopper to prevent damage to objectives and specimen
- **Condenser** Condenser with disc diaphragm and locked-on stage mechanism
- **Illumination** LED-Illuminator
- **Power** 3 rechargeable Ni-MH batteries for minimum 60 hours use & battery charger
- **Miscellaneous** Includes dust cover in styrofoam case
- **Dimensions** 30 x 12 x 16 cm (H x W x L). Weight 1,6 kg

Code	Description	Pack	Price
MIC6670	Novex Junior LED Microscope	Each	£64.75
MIC6670P	Novex Junior LED Microscope	8	£425.00

Motic SFC-100 Series

The most widely used microscope in schools today. The SFC-100 combines quality optics, robust design and an affordable price.

- 45° inclined monocular head for comfortable viewing while seated, rotates 360°
- Widefield eyepiece 10X/18mm with built-in pointer
- Revolving triple nosepiece with positive click-stops for precise magnification changes
- DIN Achromatic objectives parfocal and parcentric 4X/0.10, 10X/0.25 and 40X/0.65 with spring
- Separate coarse and fine focusing adjustment with upper-limit stop to prevent damage to slides and objectives
- Large 102mm x 110mm stage with locked-on, spring stage clips
- Special built-in 0.65NA condenser with iris diaphragm and filter holder

Code	Description	Pack	Price
MIC5912	SFC-100 Tungsten Microscope	Each	£89.70
MIC5912P	SFC-100 Tungsten Microscope	8	£656.00
MIC5740	SFC-100FL LED Microscope	Each	£105.00
MIC5740P	SFC-100FL LED Microscope	8	£720.00

**FROM
£82
EACH**

ONLY
£250
EACH



Melting Point Apparatus

A single control knob on the front panel incorporates the mains ON/OFF switch with arbitrary scale of 0 to 10. A rapid heat switch allows higher temperatures to be obtained quickly. Sample tubes are illuminated from behind and magnified through a lens. A selector at the rear of the instrument allows a light or dark background. Ceramic insulation around the aluminium heating block minimises heat transfer to the casing. Thermometer, capillary tubes and cooling plug available as accessories. Supplied with instructions.

- Electrical supply: 230V AC, 50/60Hz
- Weight: 1.5kg
- Temperature range: Ambient to + 350°C

Code	Description	Pack	Price
MELTP	Melting Point Apparatus	Each	£250.00



Mystrica Bluetooth Colorimeter

- Wireless connection to iPads and iPhones
- Unchanged USB connection for PCs
- Stand-alone use unchanged
- Some minor modifications to enhanced performance

Bundle includes:

- 4 Mystrica colorimeters
- 4 USB cables
- 4 cuvette racks
- 2 user manuals
- Box of 25 x 12mm glass test tubes
- 4 laminated instruction sheets
- Box of 80 cuvette caps
- Deep Gratnells tray with a lid and polythene insert
- Box of 40 cuvettes (4ml)

Code	Description	Pack	Price
AHK150I	Mystrica Colorimeter	Each	£110.00
AHK150IP4	Mystrica Colorimeter Bundle	4	£400.00



FROM
£478.05
EACH

Clifton Triplebath™, Unstirred

Three independent temperature controlled water baths, suitable for processing small reaction tubes, test tubes or vessels at three different temperatures, in one location.

- Sensitivity: $\pm 0.5^{\circ}\text{C}$
- Range: ambient $+5^{\circ}\text{C}$ - 99°C
- Uniformity: $\pm 0.5^{\circ}\text{C}$
- Thermostatic control

Code	Capacity	Overall Dims (WDH)	Pack	Price
EDNE1222	2L + 2L + 2L	535 x 332 x 135mm	Each	£478.05
EDNE1444	4L + 4L + 4L	535 x 332 x 135mm	Each	£582.20

Linear Air Track with Accessories

This kit is designed to provide a cost-effective system for the study of all aspects of dynamics in a virtually friction free environment. It is particularly effective in the field of collisions where conservation of momentum is dramatically demonstrated. The track itself measures 2 metre overall and is made from strong 56 x 56mm aluminium extrusion. It is supplied with a range of accessories including vehicles with mass attachments, catapults and buffers. For measurement of glider speeds, standard light gates and timers are required.

Code	Description	Pack	Price
LINSET	With Accessories & Air Blower	Each	£360.00



ONLY
£360
EACH

Demountable Transformer Kit

Laminated low loss core for attaching different coils to demonstrate the step up and step down transformer principle. Attractive demountable transformer with clearly labelled coils for GCSE and A-Level physics demonstrations. The principles used show how transformers are used in domestic electrical appliances and in the National Grid for power transmission. This magnetic circuit is made up of highly permeable U-shaped metal sheeting, which can be closed via two clamps with tightening screws. 1 coil of 1000 turns, 230V with mains connector, 1 coil of 500 turns, 0.5A.

Code	Description	Pack	Price
231-021	Demountable Transformer Kit	Each	£95.00



ONLY
£95
EACH

Basic Electricity Kit - Circuits

The Basic Electricity Kit has been designed as a low-cost, attractive and flexible alternative to the circuit-board approach to pupil investigations into simple circuits. Each component such as a switch, rheostat, bulb holder, etc. is mounted on its own individual plastic panel with 4mm sockets. The panels are then formed into circuits by connecting them together using 4mm stackable leads.

Each kit is supplied in two polystyrene trays which keep the units organised. Full contents are listed online.

Code	Description	Pack	Price
231-036	Basic Electricity Kit - Circuits	Each	£135.00
ED231-039	Cell Holder	Each	£1.09
ED231-040	Push Switch	Each	£1.32
ED231-041	Buzzer	Each	£1.95



ONLY
£135
EACH

Electrical Meters

Compact 3½ digit LCD digital manual range multimeter. 20 ranges including transistor test, 10A current test, audible continuity test, diode test, and square wave 50Hz frequency test. Overload protection on all ranges except 10A DC current range. Low battery indication. Robust ABS housing, with protective yellow rubberised holster. A low cost multi-function instrument which offers excellent value for educational use. Supplied complete with safety test leads, battery and instructions. Designed in accordance with IEC1010 600V Cat II. CE approved. RoHS exempt

Code	Pack	Price
EL10004	Each	£4.75



ONLY
£4.75
EACH

Worcester Circuit Board

The kit consists of a plastic base board with a range of components for introducing the concept of electricity and circuits. The connector strips are designed in such a manner so that they can be slipped over the terminals holding them simultaneously maintaining a good electrical contact.

Contents:

- Board with battery holders and terminals x1
- Hardboard disc with three holes x1
- Pencil leads x4
- Connector with rheostat x1
- Steel wool x1pc
- MES Bulb x18
- Bulb holder x9
- Plain connector x12
- Copper foil x1
- Push Bell x2
- Diode 1N4007 x1
- LED x1
- Soft iron nails x4
- Flexible lead with 4mm plug and crocodile clip x2
- Flexible lead with crocodile clips x2
- 34swg Eureka wire x1pc
- 20swg Bare copper wire x1pc
- Plastic covered wire 0.6mm x1pc
- Crocodile clip x2

Code	Pack	Price
SEP4387	Each	£37.50
SEP4387P	3	£90.00



FROM
£30
EACH

Discounted Chemicals!

For a limited time only we are offering 10% off our catalogue range of chemicals - including Sigma-Aldrich. To qualify for the discount please quote **CHEM16** at the time of ordering. If ordering online please utilise the comments box to quote the promotional code.

SIGMA-ALDRICH®



Stock Clearance

Code	Description	Pack	Was	Now
EL10112	4mm Stackable Lead Black - 500mm	Each	£0.58	£0.49
EL10110	4mm Stackable Lead Red - 500mm	Each	£0.58	£0.49
BEA6004	Beaker Polypropylene 250ml	Each	£0.34	£0.27
SAF0212	Bolle B-Line Safety Goggles	Each	£2.75	£2.48
BUR3005	Bunsen Burner Natural Gas	Each	£2.99	£2.09
EDU905	Cast Alloy Set 1000g 9 x 100g mass 1 x 100g hanger	Each	£8.90	£6.23
CHLAW	Charles Law Apparatus	Each	£16.10	£12.88
FLA9006	Conical Flask, Borosilicate 1000ml	Each	£2.90	£2.47
FLA9004	Conical Flask, Borosilicate 500ml	Each	£1.45	£1.31
FUN8000	Filter Funnel Glass	Each	£7.68	£6.14
CH0564D	Pipette Graduated 10ml x 0.1 Capacity	Each	£0.94	£0.71
CH0564C	Pipette Graduated 5ml x 0.05 Capacity	Each	£0.94	£0.71
BPOT	Potometer Apparatus on white stand	Each	£19.85	£17.87
CH0688	Retort Clamp with Bosshead & Rubber Jaws	Each	£3.55	£3.02
RDMS0500	Retort Rod Mild Steel 10x1.5mm 500mm	Each	£2.30	£1.96
BASE160T	Retort Stand Base 160 x 100mm	Each	£3.74	£2.99
BASE200T	Retort Stand Base 200 x 125mm	Each	£5.65	£4.80
ORH0016	Rheostat - 16 Ohm 4.0A	Each	£26.32	£18.42
EDU994	Safety Screen 610mm x 750mm	Each	£24.59	£22.13
CYL2088	Select Measuring Cylinder PP 250ml	Each	£1.75	£0.88
CH0696	Test Tube Stand polypropylene 12 hole	Each	£3.20	£1.60



Irwin Powerbase V8

This is an updated version of the Irwin Powerbase 32. Essentially it is the same as the 32 but has a higher power rotary transformer and a high specification toroid transformer replaces the original chassis transformer. The unit supplies 0-20V smoothed dc and 0-16V ac at 8 amps. Output is continuously variable and protected by a panel mounted thermal cut out. An output limiter is fitted which allows the user to preset the maximum voltage available.

- Direct replacement for the Popular Powerbase32
- 0-20V dc & 0-16 ac continuously variable PSU
- Smoothed dc output
- 8A combined simultaneous output
- Resettable Thermal Trip Switch Protection
- Voltage Lockable via an Allen Key

Code	Pack	Was	Price
SEV8B	Each	£129.00	£98.75

NOW
£98.75
EACH



Irwin Powerbase S5

- Output Voltages 3, 7, 10, 13, 17, 20V capacitor smoothed DC 3, 6, 8, 11, 13, 15V AC
- Output Current 5A
- Output limit Allen key operated maximum voltage lock
- Protection Push button thermal cut-out
- Fusing 2A, 20mm glass fuse internal
- Mains Input 230/240V ac, 50Hz

Code	Pack	Was	Now
SES5B	Each	£89.10	£79.50

NOW
£79.50
EACH



Irwin Powerbase S8

The Powerbase S8 offers 0 to 12V at 8 amps via a relay switching system that provides the voltages in 1V steps. ac and dc are available simultaneously in any combination up to a combined output of 8 amps. Output is protected by a panel mounted thermal cut out. An output limiter is fitted which allows the user to preset the maximum voltage available.

- 0 to 12V ac/dc in 1V steps
- 8A combined simultaneous output
- Resettable Thermal Trip Switch Protection
- Voltage Lockable via an Allen Key

Code	Pack	Was	Now
SES8B	Each	£115.00	£90.40

NOW
£90.40
EACH



SLS Select Education

Scientific Laboratory Supplies Ltd,
Wilford Industrial Estate,
Ruddington Lane,
Nottingham, NG11 7EP
t: 0115 982 2022
f: 0115 945 5379
e: sales@science2education.co.uk

Terms & Conditions:

Free delivery is available to educational establishments registered as 'Select Savers' only. All prices given are valid until the 1st May 2016. Full T&C's are listed on our website and in our main catalogue. Errors and omissions are excepted.