

JUNIOR IV™ JUNIOR GOGGLE - CLEAR LENS & BODY

PRODUCT CODE: AGT020-141-300

REDUCED SIZED HOUSING, FULLY CONFORMING TO EN166

**TECHNICAL
SPECIFICATION**

EYE & FACE PROTECTION



INSTRUCTIONS FOR USE

Ensure that the safety goggles fit comfortably and securely over the eyes and the elastic is adjusted to create a seal around the face

Ensure that the safety goggles are in place, before entering the hazard area

PERFORMANCE

Lens and body offer protection against medium energy medium-speed particles at 120m/s

The optical qualities of the lens comply with the requirements of optical class 1 (highest)

The body offers protection against large dust particles and liquid droplet

CLEANING & MAINTENANCE

The goggles may be cleaned with soap and warm water and dried with a soft cloth

Do not clean with chemical or abrasive cleaners

Store in packaging provided, out of direct sunlight, away from chemicals and not exposed to extremes of temperature

CONFORMITY

Meets the requirements of EN166: 2001

CE - 3234

JUNIOR IV™ JUNIOR GOGGLE - CLEAR LENS & BODY

PRODUCT CODE: AGT020-141-300

REDUCED SIZED HOUSING, FULLY CONFORMING TO EN166


**TECHNICAL
SPECIFICATION**

EYE & FACE PROTECTION

DIMENSIONS OF OUTER PACKAGING

Quantity: 10

Weight: 628g (Approx.)



WIDTH:
100mm

LENGTH:
245mm

HEIGHT:
184mm



MATERIALS

Body: Phthalate free PVC

Strap: Polyester Covered Rubber Thread Elastic Headband

Lens: 1 Piece Polycarbonate Lens

DIMENSIONS OF GOGGLE

Height: 65mm


Width: 60mm

Length: 145mm

Weight: 51g (Approx.)

MARKINGS

Body:  EN166 34 BH

Lens: 2C-1.2  1.BH

LIMITATIONS OF USE

Protection will only be offered if the goggles are fitted correctly

If the lens become scratched or damaged they should be replaced, likewise if the goggles are subjected to severe impact they should be replaced immediately

Do not apply paint, solvents, adhesives or self-adhesive labels, except in accordance with instructions from the manufacturer

The goggle body, when in contact with the skin may cause allergic reactions to susceptible individuals. If this occurs leave the hazard area, remove the eye shield and seek medical advice

The attention of users is also drawn to the dangers of modifying or removing any of the original component parts, other than as recommended by the manufacturer