SLS Select Education - Safety Data Sheet

CHE2362SE

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.2 Revision date: 16 April 2021 Date printed: 25 January 2022

Section 1. Identification

1.1 Product Identifier CHE2362SE

Product Name LITHIUM METAL (in paraffin liquid) 25g.

CAS Number 7439-93-2

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

Molecular Formula

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier SLS Select Education

Wilford Industrial Estate
Ruddington Lane
Wilford
Nottingham
NG11 7EP

UNITED KINGDOM

Phone 0115 9821111 Fax 0115 9825275

Email sales@scientific-labs.com

1.4 Emergency Telephone (08:00-17:00) 0115 9821111

(24hr) 112

(Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Contact with water > flam gas, category 1 H260: In contact with water releases flammable gases which may ignite spontaneously.

Skin corrosion/irritation, category 1B H314: Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms





Hazard Statements In contact with water releases flammable gases which may ignite spontaneously. Causes severe skin burns and

eye damage.

Precautionary Statements Keep away from any possible contact with water, because of violent reaction and possible flash fire. Protect from

moisture. Wear protective gloves / protective clothing / eye protection / face protection. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Use dry powder for extinction. Store in a dry place. Store

in a closed container.

Section 3. Composition

3.1 Substances

Component	CAS No.	EEC No.	EEC No. REACH No. Co		CLP Classification (1272/2008/CE)
Lithium	7439-93-2	231-102-5		>99.8%	Water-react. 1,Skin Corr. 1B

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL

ATTENTION URGENTLY.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use.

OBTAIN MEDICAL ATTENTION URGENTLY.

Inhalation Remove from exposure. Keep warm and at rest. If conscious place in a sitting position. If there is difficulty in

breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation.

OBTAIN MEDICAL ATTENTION.

Ingestion If conscious give plenty of water to drink. Do not induce vomiting. OBTAIN MEDICAL ATTENTION

URGENTLY.

Personal protection for first Wear protective gloves / eye protection.

aiders

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Dry graphite or appropriate metal fire extinguishing powder.

Unsuitable Media Do not allow water to come into direct contact with material.

5.2 Special hazards arising from the substance or mixture

Hazards May evolve toxic fumes if involved in a fire. Burns in oxygen, nitrogen and carbon dioxide. Once alight it will

remove oxygen from sand, carbon dioxide etc making it difficult to extinguish fires.

5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Use approved personal protective equipment. Ensure no contact with water, acids or other aqueous solutions is

possible. Evacuate area immediately. Do not allow other people to enter area.

6.2 Environmental precautions

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local

Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major Spillage Shovel/sweep up into container for removal Minor Spillage Shovel/sweep up into container for removal

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with water, acids or other aqueous solutions.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place protected against moisture and water. Keep well protected from ingress of water and well separated from acids

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits				
			Long Term (8hr	TWA)	Short Term 15min period)		
Lithium	7439-93-2	>99.8%	-	-	-	-	

Exposure data source(s) No occupational exposure data currently available.

8.2 Exposure controls

Respiratory Protection Presents no significant inhalation health hazard.

Hand Protection Wear gloves.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Skin Protection Avoid contact with skin.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Soft silvery-white metal sticks, tarnishing readily on exposure to air.

Odour No specific odour. Not applicable pН **Boiling Point** 1336°C Melting Point 180.5°C Flash Point Not applicable Upper Flammable Limit Not applicable Lower Flammable Limit Not applicable Not applicable Auto Ignition **Explosive Properties** No.

Explosive Properties No.
Oxidising Properties No.

Vapour Pressure Not applicable
Relative Density 0.5340

Relative Density 0.5340
Water Solubility Reacts violently with water evolving a flammable gas which may explode or catch fire.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity

10.2 Chemical Stability Stable under normal conditions but decomposes violently in contact with water.

10.3 Possibility of hazardous No data available.

reactions

10.4 Conditions to Avoid Avoid contact with water or water vapour.

10.5 Incompatable Materials Large lumps or small hot particles, react explosively with water, ice and aqueous mineral acids. Burns/reacts

violently or even explosively with material containing oxygen such as carbon dioxide, air, sand, asbestos, acids and oxidisers especially above its melting point (180C). Bromobenzene, halocarbons, mercury, metal chlorides,

oxides, nitric acid, viton, and sulphur.

Decomposes to emit highly irritant fumes. Hazardous Decomposition

Products

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes Can cause severe burns or blindness on contact with the eyes and fumes from burning material are highly

irritating.

Skin Direct contact with moisture on the skin causes severe thermal and caustic burns.

LD50 Skin Not available

Ingestion Ingestion will cause severe mouth burns, and if swallowed extensive damage to the oesophagus.

LD50 Oral Not available

Inhalation Fumes from burning material are highly irritating to the upper respiratory tract.

LD50 Inhalation Not available **TCLo** Not available

Carcinogenicity No information is available. Mutagenicity No information is available. Reproductive Effects No information is available.

Section 12. Ecological

12.1 Toxicity None unusual.

LC50 Algal Not available LC50 Crustacea Not available LC50 Fish Not available 12.2 Persistence and No data available.

degradability

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil Results of PBT & vPvB No data available. Assessment not required.

assessment

12.6 Other adverse effects None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Wearing full safety equipment cover material with soda ash and slowly add to butan-1-ol in a large container.

Allow to stand for 24 hours then wash to drain with copious amounts of water.

Contaminated Packaging Use a licensed waste disposer.

Section 14. Transport Information

1415 14.1 UN Number 14.2 Proper Shipping Name Lithium

14.3 Transport classes

UN classification 4.3 Subsidiary hazard(s) None Transport category ADR Hazard ID X423 **Tunnel Restriction Code** B/E

14.4 Packing Group

14.5 Environment hazards See section 12.

14.6 Special precautions for 14.7 Transport in bulk

Not transported in bulk.

No special precautions required.

Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Contact with water > flam gas, category 1; Skin corrosion/irritation, category 1B

Signal word Danger

Hazard Pictograms





Hazard Statements

In contact with water releases flammable gases which may ignite spontaneously. Causes severe skin burns and

eye damage.

Precautionary Statements P223, P232, P280, P335+P334, P378, P402+P404

> Keep away from any possible contact with water, because of violent reaction and possible flash fire. Protect from moisture. Wear protective gloves / protective clothing / eye protection / face protection. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Use dry powder for extinction. Store in a dry place. Store

in a closed container.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.2 (Supercedes revision 1.1)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 25 January 2022

Copyright: 2022 SLS Select Education

