

Section 1. Identification**1.1 Product Identifier** CHE5325SE

| | |
|-----------------------|-----------------------|
| Product Name | HEX-1-ENE 100ml. |
| CAS Number | 592-41-6 |
| REACH Registration No | 01-2119475505-34-XXXX |
| Molecular Formula | $C_6H_{12} = 84.16$ |

1.2 Relevant identified uses of the substance or mixture & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier SLS Select Education

Wilford Industrial Estate
Ruddington Lane
Wilford
Nottingham
NG11 7EP
UNITED KINGDOM

| | |
|-------|---------------------------|
| Phone | 0115 9821111 |
| Fax | 0115 9825275 |
| Email | sales@scientific-labs.com |

1.4 Emergency Telephone (08:00-17:00) 0115 9821111
(24hr) 112
(Have this document to hand)**Section 2. Hazards Identification****2.1 Classification of the substance or mixture****Classification according to regulation 1272/2008/EC**

Flammable liquid, category 2
Aspiration hazard, category 1

H225: Highly flammable liquid and vapour.
H304: May be fatal if swallowed and enters airways.

2.2 Label elements**Labelling according to regulation 1272/2008/EC**

Signal word Danger

Hazard Pictograms



Hazard Statements Highly flammable liquid and vapour. May be fatal if swallowed and enters airways.

Precautionary Statements Keep away from heat / sparks/open flames/hot surfaces - No smoking. Ground/bond container and receiving equipment. Wear protective gloves / protective clothing / eye protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well ventilated place. Keep cool.

Supplemental Hazard Information (EU) Repeated exposure may cause skin dryness or cracking

Section 3. Composition

3.1 Substances

| Component | CAS No. | EEC No. | REACH No. | Conc w/w | CLP Classification (1272/2008/CE) |
|-----------|----------|-----------|-----------------------|----------|-----------------------------------|
| Hex-1-ene | 592-41-6 | 209-753-1 | 01-2119475505-34-XXXX | 98% | Flam. Liq. 2, Asp. Tox. 1 |

Section 4. First Aid

4.1 Description of first aid measures

| | |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eyes | Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION. |
| Skin | Thoroughly wash off skin with soap and water. Remove contaminated clothing immediately and wash before re-use. In severe cases or if exposure has been great, OBTAIN MEDICAL ATTENTION. |
| Inhalation | Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Ingestion | If conscious give plenty of water to drink. Do not induce vomiting. If there is difficulty in breathing give oxygen if available. Keep container tightly closed. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Personal protection for first aiders | Wear protective gloves / eye protection. |

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

| | |
|---------------------|--------------------------------------------------------------------------------------------------------|
| Extinguishing Media | Water spray, foam, dry powder or carbon dioxide. Use water spray to keep fire exposed containers cool. |
| Unsuitable Media | Do not use water jet. |

5.2 Special hazards arising from the substance or mixture

| | |
|---------|------------------------------------|
| Hazards | Vapour-air mixtures are explosive. |
|---------|------------------------------------|

5.3 Advice for firefighters

| | |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice for firefighters | Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus. |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

| | |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal Protection | Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate area immediately. Do not allow general use of area until it is safe to do so. Beware : vapour is heavier than air and will tend to accumulate at low spots. |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

6.2 Environmental precautions

| | |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Environmental | Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs. |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

6.3 Methods and material for containment and cleaning up

| | |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Major Spillage | Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with copious amounts of water. |
| Minor Spillage | Contain and absorb on inert material. Transfer absorbent to container for removal. Allow solvent to evaporate in remote area, then dispose of absorbent as solid chemical waste. Wash area down with copious amounts of water. |

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations to a minimum.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Keep well separated from oxidising agents.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

| Component | CAS No | Concentration | Workplace Exposure Limits | |
|-----------|----------|---------------|---------------------------|-------------------------|
| | | | Long Term (8hr TWA) | Short Term 15min period |
| Hex-1-ene | 592-41-6 | 98% | - | - |

Exposure data source(s) No occupational exposure data currently available.

8.2 Exposure controls

| | |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Respiratory Protection | Use L.E.V. or natural ventilation to reduce vapour concentrations to a minimum. If not, use a well maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus. |
| Hand Protection | Use solvent resistant gloves. |
| Eye Protection | Use tightly fitting chemical splash proof glasses or goggles. |
| Skin Protection | Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn. |
| Special Hazards | No special precautions required. |

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

| | |
|-----------------------|-------------------------|
| Appearance | Clear colourless liquid |
| Odour | No specific odour. |
| pH | Not applicable |
| Boiling Point | 62°C |
| Melting Point | -140°C |
| Flash Point | -25°C (Closed cup) |
| Upper Flammable Limit | 6.9% |
| Lower Flammable Limit | 1.2% |
| Auto Ignition | 253°C |
| Explosive Properties | No. |
| Oxidising Properties | Yes. |
| Vapour Pressure | 186mmHg@25°C |
| Relative Density | 0.6700 |

Water Solubility Insoluble in water.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

| | | |
|------|------------------------------------|----------------------------------------------------------------------------------|
| 10.1 | Reactivity | No data available. |
| 10.2 | Chemical Stability | Stable under normal conditions |
| 10.3 | Possibility of hazardous reactions | No data available. |
| 10.4 | Conditions to Avoid | Hot surfaces, naked flames or other sources of ignition. |
| 10.5 | Incompatible Materials | Strong oxidising agents. |
| 10.6 | Hazardous Decomposition Products | None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide. |

Section 11. Toxicological Information

11.1 Information on toxicological effects

| | |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eyes | Both the vapour and liquid will, act as an eye irritant. Repeated exposure to the vapours can lead to reversible corneal changes and conjunctivitis |
| Skin | The liquid is mildly irritating to the skin. Repeated or prolonged contact may defat the skin producing irritation and dermatitis. |
| LD50 Skin | >2000mg/kg Rabbit |
| Ingestion | Ingestion will cause causes damage to stomach and intestinal linings. |
| LD50 Oral | 5600mg/kg Rat |
| Inhalation | Exposure to vapour concentrations above the occupational exposure limits will cause narcosis. Prolonged exposure to vapour concentrations above the occupational exposure limits will cause headache, nausea, vomiting and irritation of the mucous membranes. High concentrations of vapour may produce central nervous system depression and unconsciousness. |
| LD50 Inhalation | 32000ppm Rat (4 hours) |
| TCLo | Not available |
| Carcinogenicity | Not considered to be a carcinogen. |
| Mutagenicity | Not considered to be a mutagen. |
| Reproductive Effects | None identified. |

Section 12. Ecological

| | | |
|------|----------------------------------|-------------------------------------------------|
| 12.1 | Toxicity | Moderately toxic to mammals, fish and bacteria. |
| | LC50 Algal | 1000mg/l Algae (96 hours) |
| | LC50 Crustacea | Not available |
| | LC50 Fish | 5.6mg/l Rainbow Trout (96 hours) |
| 12.2 | Persistence and degradability | Readily bio-degraded in the environment. |
| 12.3 | Bioaccumulative potential | No data available. |
| 12.4 | Mobility in soil | No data available. |
| 12.5 | Results of PBT & vPvB assessment | Assessment not required. |
| 12.6 | Other adverse effects | None known at present. |

Section 13. Disposal Considerations

13.1 Waste treatment methods

| | |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Disposal Methods | Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of into water courses or sewerage systems due to high risk of explosion. |
| Contaminated Packaging | Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion. |

Section 14. Transport Information

| | |
|-----------------------------------|----------------------------------|
| 14.1 UN Number | 2370 |
| 14.2 Proper Shipping Name | 1-Hexene |
| 14.3 Transport classes | |
| UN classification | 3 |
| Subsidiary hazard(s) | None |
| Transport category | 2 |
| ADR Hazard ID | 33 |
| Tunnel Restriction Code | D/E |
| 14.4 Packing Group | II |
| 14.5 Environment hazards | See section 12. |
| 14.6 Special precautions for user | No special precautions required. |
| 14.7 Transport in bulk | Not transported in bulk. |



Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for substance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Flammable liquid, category 2; Aspiration hazard, category 1

Signal word Danger

Hazard Pictograms



Hazard Statements H225, H304
Highly flammable liquid and vapour. May be fatal if swallowed and enters airways.

Precautionary Statements P210, P240, P280, P303+P361+P353, P403+P235
Keep away from heat / sparks/open flames/hot surfaces - No smoking. Ground/bond container and receiving equipment. Wear protective gloves / protective clothing / eye protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well ventilated place. Keep cool.

Supplemental Hazard Information (EU)
Repeated exposure may cause skin dryness or cracking

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supersedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 25 January 2022

Copyright: 2022 SLS Select Education