# SLS Select Education - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.2

Revision date: Date printed: 16 April 2021 25 January 2022

**CHE5680SE** 

# Section 1. Identification

| L | Product Identifier                  | CHE5680SE  |
|---|-------------------------------------|--|
|   | Product Name                        | AMYL ACETATE pure (mixture of isomers) 500ml.  |
|   | CAS Number<br>REACH Registration No | Mixture<br>A registration number is not available as the substance or its uses are exempt, the<br>annual tonnage does not require a registration or the registration is envisaged for a<br>later date. |
|   | Molecular Formula                   | CH, COOC, H, =130.19   |

## 1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier

1.1

SLS Select Education



Wilford Industrial Estate Ruddington Lane Wilford Nottingham NG11 7EP UNITED KINGDOM

| 0115 9821111              |
|---------------------------|
| 0115 9825275              |
| sales@scientific-labs.com |
|                           |

| 1.4 | <b>Emergency Telephone</b> | (08:00-17:00)    | 0115 9821111 |
|-----|----------------------------|------------------|--------------|
|     |                            | (24hr)           | 112          |
|     |                            | (Have this docum | ent to hand) |

# Section 2. Hazards Identification

## 2.1 Classification of the substance or mixture

| Classification according to regulation 1 | 272/2008/EC |
|--|-------------|
| Flammable liquid, category 3             |             |


H226: Flammable liquid and vapour.

## 2.2 Label elements

## Labelling according to regulation 1272/2008/EC

Signal word

Warning





Hazard Statements

Flammable liquid and vapour.

Keep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Supplemental Hazard Information (EU) Repeated exposure may cause skin dryness or cracking.

## Section 3. Composition

## 3.1 Substances

| Component    | CAS No. EEC No. | REACH No. | Conc w/w | CLP Classification (1272/2008/CE) |
|--------------|-----------------|-----------|----------|-----------------------------------|
| Amyl acetate | Mixture         |           | >99%     | Flam. Liq. 3                      |
|              |                 |           |          |                                   |

# Section 4. First Aid

#### 4.1 Description of first aid measures

| Eyes                                 | Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION.   |
|--------------------------------------|---|
| Skin                                 | Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use.   |
| Inhalation                           | Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.                        |
| Ingestion                            | If conscious give plenty of water to drink. Do not induce vomiting. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Personal protection for first aiders | Wear protective gloves / eye protection.  |

#### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

# Section 5. Fire Fighting

### 5.1 Extinguishing media

| Extinguishing Media | Water spray, alcohol resistant foam, dry powder or carbon dioxide. Use water spray to keep fire exposed containers cool. |
|---------------------|--|
| Unsuitable Media    | Do not use water jet.  |

### 5.2 Special hazards arising from the substance or mixture

Hazards

Vapour-air mixtures are explosive.

## **5.3 Advice for firefighters**

Advice for firefighters

Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.

## Section 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate area immediately. Do not allow general use of area until it is safe to do so. Beware : vapour is heavier than air and will tend to accumulate at low spots.

## **6.2 Environmental precautions**

Personal Protection

Enviromental

Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

#### 6.3 Methods and material for containment and cleaning up

Major Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with copious amounts of water.

Minor Spillage Contain and absorb on inert material. Transfer absorbent to container for removal. Allow solvent to evaporate in remote area, then dispose of absorbent as solid chemical waste. Wash area down with copious amounts of water.

#### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

## Section 7. Storage & Handling

#### 7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

#### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage. Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Keep well separated from oxidising agents.

### 7.3 Specific end use(s)

See section 1.2.

# Section 8. Workplace Exposure & Personal Protection

#### 8.1 Control parameters

| Component              | CAS No        | Concentration   |                        | Workplace Exposu          | re Limits                 |                  |
|------------------------|---------------|---|------------------------|---------------------------|---------------------------|------------------|
|                        |               |   | Long Term (8hi         | TWA)                      | Short Term 15mi           | n period)        |
| Amyl acetate           | Mixture       | >99%  | 50.0 ppm               | 100.0 mg/m-3              | 270.0 ppm                 | 541.0 mg/m-3     |
| Exposure da            | ata source(s) | IOELV: Indicative Occupatio   | nal Exposure Limit V   | Value.                    |                           |                  |
| 8.2 Exposure con       | trols         |   |                        |                           |                           |                  |
| Respiratory Protection |               | Use L.E.V. or natural ventilation to maintain vapour concentrations below exposure limits. If not, use a well maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus. |                        |                           |                           |                  |
| Hand Protect           | ction         | Use solvent resistant gloves.   |                        |                           |                           |                  |
| Eye Protecti           | ion           | Use tightly fitting chemical sp   | blash proof glasses or | goggles.                  |                           |                  |
| Skin Protect           | tion          | Avoid contact with skin. If sk  | in contact or contami  | nation of clothing is lil | kely, protective clothing | ng must be worn. |
| Special Haz            | ards          | No special precautions require  | ed.                    |                           |                           |                  |

## Section 9. Physical & Chemical Properties

### 9.1 Information on basic physical and chemical properties

| Appearance            | Clear colourless liquid.          |
|-----------------------|-----------------------------------|
| Odour                 | Characteristic 'pear-drop' odour. |
| рН                    | Not applicable                    |
| Boiling Point         | 148°C                             |
| Melting Point         | -78°C                             |
| Flash Point           | 25°C (Open cup)                   |
| Upper Flammable Limit | 10%                               |
| Lower Flammable Limit | 1.1%                              |
| Auto Ignition         | 380°C                             |
| Explosive Properties  | Severe in confined spaces.        |
| Oxidising Properties  | No.                               |
| Vapour Pressure       | 6mmHg @ 25°C                      |
| Relative Density      | 0.8790                            |
| Water Solubility      | 0.2%                              |

SLS Select Education - Safety Data Sheet

Ref: CHE5680SE

## 9.2 Other information

No data available.

# Section 10. Stability & Reactivity

| 10.1 | Reactivity                          | No data available.   |
|------|-------------------------------------|--|
| 10.2 | Chemical Stability                  | Stable under normal conditions   |
| 10.3 | Possibility of hazardous reactions  | No data available.   |
| 10.4 | Conditions to Avoid                 | Hot surfaces, naked flames or other sources of ignition.                         |
| 10.5 | Incompatable Materials              | Strong oxidising agents.   |
| 10.6 | Hazardous Decomposition<br>Products | None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide. |

# Section 11. Toxicological Information

## **11.1 Information on toxicological effects**

| Eyes                 | High concentrations of vapour may be irritating to the eyes.   |
|----------------------|--|
| Skin                 | Repeated or prolonged contact may defat the skin producing irritation and dermatitis. Unlikely to be absorbed across the skin in harmful amounts.  |
| LD50 Skin            | Not available  |
| Ingestion            | Low order of acute toxicity. Ingestion of large amounts will produce central nervous system depression. Symptoms may include nausea, vomiting muscular incoordination and loss of consciousness.   |
| LD50 Oral            | 16000mg/kg Rat   |
| Inhalation           | Exposure to vapour concentrations above the occupational exposure limits may produce irritation of the eyes and respiratory tract. High concentrations of vapour may produce central nervous system depression and unconsciousness. Symptoms will be similar to those following ingestion. |
| LD50 Inhalation      | Not available  |
| TCLo                 | Not available  |
| Carcinogenicity      | Not considered to be a carcinogen.   |
| Mutagenicity         | Not considered to be a mutagen.  |
| Reproductive Effects | None identified.   |

# Section 12. Ecological

| 12.1 | Toxicity                         | Readily bio-degraded in the environment. |
|------|----------------------------------|--|
|      | LC50 Algal                       | Not available                            |
|      | LC50 Crustacea                   | Not available                            |
|      | LC50 Fish                        | Not available                            |
| 12.2 | Persistence and degradability    | No data available.                       |
| 12.3 | Bioaccumulative potential        | No data available.                       |
| 12.4 | Mobility in soil                 | No data available.                       |
| 12.5 | Results of PBT & vPvB assessment | Assessment not required.                 |
| 12.6 | Other adverse effects            | None known at present.                   |

# Section 13. Disposal Considerations

## 13.1 Waste treatment methods

Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of into water courses or sewerage systems due to high risk of explosion.

Contaminated Packaging

Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion.

# Section 14. Transport Information

| 14.1 | UN Number  | 1104                             |
|------|--|----------------------------------|
| 14.2 | <b>Proper Shipping Name</b>  | Amyl acetates                    |
| 14.3 | Transport classes<br>UN classification<br>Subsidiary hazard(s)<br>Transport category<br>ADR Hazard ID<br>Tunnel Restriction Code | 3<br>None<br>3<br>30<br>D/E      |
| 14.4 | Packing Group  | III                              |
| 14.5 | Environment hazards  | See section 12.                  |
| 14.6 | Special precautions for user   | No special precautions required. |
| 14.7 | Transport in bulk  | Not transported in bulk.         |

# Section 15. Regulatory Information

## 15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

| Classification                          | Flammable liquid, category 3  |
|---|---|
| Signal word                             | Warning   |
| Hazard Pictograms                       |   |
| Hazard Statements                       | H226<br>Flammable liquid and vapour.  |
| Precautionary Statements                | P233, P280, P303+P361+P353<br>Keep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection. IF<br>ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| Supplemental Hazard<br>Information (EU) | EUH066<br>Repeated exposure may cause skin dryness or cracking.   |

### 15.2 Chemical safety assessment

Assessment not required.

## Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.2 (Supercedes revision 1.1)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Ref: CHE5680SE

Printed date: 25 January 2022

Copyright: 2022 SLS Select Education