SLS Select Education - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1

Revision date: Date printed: 16 April 2021 25 January 2022

CHE5846SE

Section 1. Identification

1	Product Identifier	CHE5846SE
	Product Name	POTASSIUM IODATE (V) pure 100g.
	CAS Number REACH Registration No	7758-05-6 A registration number is not available as the substance or its uses are exempt, the annual tonnage does not require a registration or the registration is envisaged for a later date.
	Molecular Formula	KIO ₃ =214.00

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier

1.1

SLS Select Education



Wilford Industrial Estate Ruddington Lane Wilford Nottingham NG11 7EP UNITED KINGDOM

Phone	0115 9821111
Fax	0115 9825275
Email	sales@scientific-labs.com

1.4	Emergency Telephone	(08:00-17:00)	0115 9821111
		(24hr)	112
		(Have this docum	ent to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Oxidising solid, category 2 Skin corrosion/irritation, category 2 Serious eye damage/irritation, category 2 Spec target organ tox - single, category 3 H272: May intensify fire; oxidizer.H315: Causes skin irritation.H319: Causes serious eye irritation.H335: May cause respiratory irritation.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word

Hazard Pictograms

Danger



Hazard Statements

May intensify fire; oxidizer. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

Precautionary Statements

Keep away from heat / sparks/open flames/hot surfaces - No smoking. Keep / Store away from clothing / combustible materials. Take any precaution to avoid mixing with combustibles... Wear protective gloves / protective clothing / eye protection.

Section 3. Composition

3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Potassium Iodate	7758-05-6	231-831-0		>99%	Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3 (I)
	-				

Section 4. First Aid

4.1 Description of first aid measures

Eyes	Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.
Skin	Wash off skin thoroughly with water.
Inhalation	Remove from exposure.
Ingestion	Wash out the patients mouth thoroughly with water. In severe cases or if exposure has been great, OBTAIN MEDICAL ATTENTION.
Personal protection for first aiders	Wear protective gloves / eye protection.

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media	Consider what other flammable materials are present and act accordingly.
Unsuitable Media	Nothing specified.

5.2 Special hazards arising from the substance or mixture

Hazards

May evolve toxic fumes if involved in a fire.

5.3 Advice for firefighters

Advice for firefighters

Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

Personal Protection	Presents no major hazards.
2 Environmental precauti	ons
Enviromental	Notify the Environmental Agency and local Environmental Health Officer if major spillage occur
.3 Methods and material fo	or containment and cleaning up
Major Spillage	Shovel/sweep up into container for removal Wash area down with copious amounts of water.
Minor Spillage	Wash area down with copious amounts of water.

6.4 Reference to other sections

SLS Select Education - Safety Data Sheet

Ref: CHE5846SE

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing. Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Keep well separated from combustible materials.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits			
			Long Term	(8hr TWA)	Short Term	15min period)
Potassium Iodate	7758-05-6	>99%	-	-	-	-

Exposure data source(s) No occupational exposure data currently available.

8.2 Exposure controls

Respiratory Protection	If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.
Hand Protection	Wear gloves.
Eye Protection	Use tightly fitting chemical splash proof glasses or goggles.
Skin Protection	Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.
Special Hazards	No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	White crystalline powder or granules.
Odour	No specific odour.
pH	6.07 @ 26 °C (1% solution)
Boiling Point	Not available
Melting Point	500 °C
Flash Point	Not applicable
Upper Flammable Limit	Not applicable
Lower Flammable Limit	Not applicable
Auto Ignition	Not applicable
Explosive Properties	Can form explosive mixtures with organic matter.
Oxidising Properties	Yes.
Vapour Pressure	Not applicable
Relative Density	2.816
Water Solubility	70 g/L @ 25 °C

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1	Reactivity	No data available.
10.2	Chemical Stability	Stable under normal conditions

10.3	Possibility of hazardous
	reactions

No data available.

- 10.4 Conditions to Avoid
- Decomposes violently on heating. Combustible materials. 10.5 Incompatable Materials
- 10.6 Hazardous Decomposition May produce hazardous fumes if involved in a fire. Products

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes	Contact with the solid or dust may cause moderate to severe irritation and may result in corneal injury.
Skin	Causes skin irritation.
LD50 Skin	Not available
Ingestion	Ingestion of large amounts may cause diarrhoea, nausea, vomiting, hyperpnoea and convulsions.
LD50 Oral	Not available
Inhalation	May cause respiratory irritation.
LD50 Inhalation	Not available
TCLo	Not available
Carcinogenicity	Not considered to be a carcinogen.
Mutagenicity	Not considered to be a mutagen.
Reproductive Effects	None identified.

Section 12. Ecological

12.1	Toxicity	No specific environmental hazard.
	LC50 Algal	Not available
	LC50 Crustacea	Not available
	LC50 Fish	Not available
12.2	Persistence and degradability	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility in soil	No data available.
12.5	Results of PBT & vPvB assessment	Assessment not required.
12.6	Other adverse effects	None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Contaminated Packaging

Do not dispose of as domestic waste. Wash out containers with water.

Section 14. Transport Information

14.1	UN Number	1479
14.2	Proper Shipping Name	Oxidizing solid, N.O.S. (Potassium Iodate)
14.3	Transport classes	
	UN classification	
	Subsidiary hazard(s)	None
	Transport category	2
	ADR Hazard ID	50
	Tunnel Restriction Code	E
14.4	Packing Group	П
14.5	Environment hazards	See section 12.
14.6	Special precautions for user	No special precautions required.
14.7	Transport in bulk	Not transported in bulk.

Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification	Oxidising solid, category 2; Skin corrosion/irritation, category 2; Serious eye damage/irritation, category 2; Spec target organ tox - single, category 3
Signal word	Danger
Hazard Pictograms	
Hazard Statements	H272, H315, H319, H335 May intensify fire; oxidizer. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Precautionary Statements	P210, P220, P221, P280 Keep away from heat / sparks/open flames/hot surfaces - No smoking. Keep / Store away from clothing / combustible materials. Take any precaution to avoid mixing with combustibles Wear protective gloves / protective clothing / eye protection.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 25 January 2022

Copyright: 2022 SLS Select Education