

**Product Datasheet model uvex pheos cx2 sonic 9309 275****UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth****Product  
characteristics**

- uvex's lightest compact wide-vision goggles (34 grams)
- high mechanical strength B (120 m/s)
- designation 3 (liquids), 4 (coarse dust) and T (extreme temperatures)
- comfortable protection thanks to soft forehead and nose piece moulded directly onto the lens
- uvex supervision coating technology
- very soft, light textile headband for secure and comfortable fit
- can be easily combined with other PPE

## Technical details

### Frame

Material  
Colour

### Front piece

PP/TPE  
white, black

Material  
Features  
Colour

### Headband

synthetic headband  
individually adjustable  
black, grey

Manufacturer's ID  
code  
Applicable EN norm  
Field of use

### Marking

W  
  
166  
3 (drops and splashes of liquid)  
4 (large dust particles)


Impact resistance  
Resistance to high  
speed particles at  
extremes of temp.  
Conformity symbol

B (120 m/s)  
T  
  
CE

### Lens

Material  
Thickness  
Coating  
Colour  
UV protection

PC  
2,2 mm  
uvex supravision extreme  
clear  
UV 400

	<b>Marking</b>
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	B (120 m/s)
Resistance to high speed particles at extremes of temp.	T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	
<b>Miscellaneous</b>	
Weight	34 g
Packing	5 spectacles per box 160 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170
PPE Category	Category II