



## PRODUCT DESCRIPTION

Modern, compact design combined with ease of use making this a cost-effective thermometer for liquid and semi-solid sampling. The stainless steel probe is connected to the unit with a 1 metre cable and can be clipped to the instrument body for single handed use.

- -50° to 150°C x 0.1°C
- Measures in °C or °F
- Sampling rate of one reading per second
- Data hold function retains displayed value
- Min/max memory since power on
- Programmable alarm for min/max values
- Audible alarm at the high/low temperature limits
- Auto power off after 1 hour
- Low battery indicator
- 100 x 4mm Ø stainless steel pointed tip probe with handle and 1m cable
- 30mm LCD display with function indicators
- Impact-resistant ABS case incorporates a desk stand and compartment for the sensor cable when not in use
- Supplied with a protective probe cap and battery

### TECHNICAL SPECIFICATIONS

|                   |   |
|-------------------|---|
| <b>Range</b>      | -50° to + 150°C                               |
| <b>Resolution</b> | 0.1°C (-19.9° to +199.9°C), 1°C (others)      |
| <b>Accuracy</b>   | ±1°C (-30° to +150°C) ±2°C (others)           |
| <b>Sampling</b>   | Every second                                  |
| <b>Power</b>      | 1 x 1.5V button cell battery ( <b>PL-13</b> ) |
| <b>Dimensions</b> | 120 x 60 x 20mm (unit) 100 x 4mmØ (probe)     |
| <b>Weight</b>     | 77g   |